## MTi-200

- Xsens' high-performance product line
- 0.2 deg in roll/pitch accuracy, ultra low heading drift
- Complete SDK and development kits available

The MTi-200 features vibration-rejecting gyroscopes and offers high-quality inertial data, even in challenging environments.

The all-in-one sensor system supports optimized temperature calibration, high-frequency outputs, and has configurable output settings for synchronization with any third-party device.

The MTi-200 is supported by the MT Software Suite which includes MT Manager (GUI for Windows/Linux), SDK, example codes and drivers for many platforms.



## Sensor fusion performance Roll, Pitch 0.2 deg RMS Yaw/Heading unreferenced, low drift Strapdown Integration (SDI) **Gyroscope** 450 deg/s Standard full range In-run bias stability 10 deg/h Bandwidth (-3dB) 415 Hz Noise Density $0.01 \text{ o/s/}\sqrt{\text{Hz}}$ g-sensitivity (calibr.) 0.003 °/s/g Accelerometer Standard full range 20 g In-run bias stability 15 µg Bandwidth (-3dB) 375 Hz Noise Density 60 μg/√Hz Magnetometer Standard full range +/- 8 G Total RMS noise 0.5 mG Non-linearity 0.2% Resolution 0.25 mG **GNSS Receiver** Brand n/a Model n/a RTCM input port n/a **Barometer** Standard full range 300-1100 hPa Total RMS noise 3.6 Pa Resolution ~0.08m

Mechanical	
IP-rating	IP67
Operating Temperature	-40 to 85 °C
Casing material	— Aluminum
Mounting orientation ———	No restriction, full 360° in all axes
Dimensions	57x41.90x23.60 mm
Connector	Fischer SV
Weight	— 55 g
Electrical	

## Input voltage 3V3, 4.5V-34V Power consumption (typ) 520 mW

Interfaces / IO	
Interfaces	USB, RS232, RS422, UART
Sync Options	SyncIn, SyncOut, ClockSync
Protocols	Xbus, ASCII (NMEA)
Clock drift	10 ppm (or external)
Output Frequency ————	up to 2kHz
Built-in-self test	Yes

Software Suite	
GUI (Windows/Linux)	MT Manager Firmware updater,
	Magnetic Field Mapper
SDK (Example code)	C++, C#, python, Matlab, Nucleo,
	public source code
Drivers	LabVIEW, ROS, GO
Support —	BASE by XSENS: online manuals,
	community and knowledge base

- White label and OEM integration options available
- 3D models available on request
- Available online via Digi-Key, Mouser, Farnell and local distributors



