

# TY23MX



CABLE TIE 18LB 4IN UV BLACK NYLON

## General Information

Extended Product Type	TY23MX
Product ID	7TAG009040R0011
EAN	5414363061830
Catalog Description	CABLE TIE 18LB 4IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 91.95mm (3.62 Inches), Width of 2.29mm (0.09 Inch), Thickness of 0.75mm (0.03 Inch), Tensile Strength Rating of 80 Newtons (18 Pounds)

## Ordering

EAN	5414363061830
Customs Tariff Number	3926909990

## Dimensions

Product Net Weight	.001 lb .454 g
--------------------	-------------------

## Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4.4 in 112 mm
Package Level 1 Height	6.2 in 157 mm
Package Level 1 Depth / Length	8.5 in 216 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.25 in 260 mm
Package Level 2 Height	9 in 229 mm
Package Level 2 Depth / Length	10.25 in 260 mm

## Additional Information

Brand / Label	Ty-Rap
---------------	--------

Bundle Diameter	0.08 to 0.63 in 2 to 16 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Standard
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.03 in 0.75 mm
UPC	786210824468

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY23MX
Instructions and Manuals	TY23MX

### Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

