



LOAD FEEDER FUSELESS DIRECT START, AC 400V, SZ S0, 14...20A, AC 400V, 15KW SPRING-LOADED CONNECTION FOR BUSBAR SYSTEMS 60MM TYPE OF COORDINATION 2, IQ = 150KA (ALSO FULFILLS TYPE OF COORDINATION 1) 1NO+1NC (CONTACTOR)

Figure similar

product brand name		SIRIUS
Product designation		non-fused load feeders 3RA2

General technical data:

Surge voltage resistance Rated value	kV	6
Protection class IP		IP20
<ul style="list-style-type: none"> on the front 		

Main circuit:

Number of poles for main current circuit		3
Operating voltage	V	690
<ul style="list-style-type: none"> at AC-3 Rated value maximum 		

Auxiliary circuit:

Product expansion Auxiliary switch		Yes
---	--	-----

Installation/ mounting/ dimensions:

Required spacing		
<ul style="list-style-type: none"> for grounded parts 		
— Backwards	mm	0
— at the side	mm	9

Mechanical data:

Size of load feeder		S0
----------------------------	--	----

Ambient conditions:

Ambient temperature		
<ul style="list-style-type: none"> during operation 	°C	60
<ul style="list-style-type: none"> during transport 	°C	-50 ... +80

Certificates/ approvals:

General Product Approval	For use in hazardous locations	Declaration of Conformity	other
--------------------------	--------------------------------	---------------------------	-------



[Declaration of Conformity](#)

[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrymall>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mfb=3RA21204BH270AV0>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RA21204BH270AV0/all>


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mfb=3RA21204BH270AV0&lang=en





DREI-PHASEN-HERABZUG, SICHERUNGSL.



DREI-PHASEN-FASZENBESSZ S0

last modified:

11.03.2015