

28-Jun-2019 **PCN #:**P-19-017563

Subject: NanoMQS Application Specification 114-18858

Description of Change: - 4.3 F APPEARANCE added - 4.3 C & 5.1: torsion deviation for PNs 4-1703930-X to max. 10 added - 5.1 crimp width tolerance for PNs 4-1703930-X 0.35mm FLR wire increased to 1.07+0.13

Reason: Customer Request.Appearance at wire crimp bottom was present for PNs 1-1703930-X already and is now also present for PNs 4-1703930-X. Torsion and crimp width tolerance deviation was requested by customer and approved for 0.35mm FLR wire based on tolerance study.

Key Dates:

Contact By Date: 28-Jun-2019

Implementation Date:28-Jun-2019

Product Affected

4-1703930-4

4-1703930-2

4-1703930-3

1-1703930-1

4-1703930-1

1-1703930-2

The dates on the product change notification (PCN) are best estimate dates determined at the time of issuance. Actual implementation dates may vary from such dates.

The change described in the PCN can be withdrawn, without notice, for any or all of the products identified on the PCN.

TE Connectivity corporate policy is for PCNs to be valid for 60 days and

obsolescence notices to be valid for 180 days after date of issue.
For confirmation or additional information on the change, please contact the TE Connectivity Product Information Center at 800-522-6752 or your TE Connectivity Sales Representative.