

## Keyboard interface T-Box

For transferring measured values via keyboard interface

BOBE

### Application:

For transferring measured values via keyboard interface, e.g. to Microsoft® Office applications such as EXCEL, WORD etc. For measuring instruments with serial interfaces connected to USB ports via keyboard interfaces.

### Execution:

- Power supply via USB interface
- USB interface is detected as a keyboard
- Closing characters such as Enter or Tab can be set on the USB interface. These are automatically sent together with the data.
- Language, separator settings etc.
- Data transfer via data button on the measuring instrument or using a timer
- Timer function can be set from 0-99 seconds for the transmission of measured values within a specified time interval
- Cascadable, allowing the measuring station to be extended at any time with additional T-boxes from the 30X USB series
- Measurements triggered via optionally available foot-operated switch

### Advantage:

- Cost-effective solution for transferring measured data
- No driver file needed for the USB interface

### Delivery:

USB keyboard interface incl. USB cable



<b>Art. no.</b>	<b>39870 305</b>
<b>Brand</b>	BOBE
<b>Manufacturer Part Number</b>	T-BOX 305/USB
<b>Model</b>	T-Box 305 USB
<b>Interface input</b>	2 x RS232, 3 x DIGIMATIC
<b>Number of rechargeable batteries/batteries</b>	0
<b>Gross Weight</b>	0.900 kg
<b>Data transmission type</b>	USB
<b>Suitable for</b>	Measuring instruments with RS232 or DIGIMATIC interface
<b>Product Group</b>	386