



The DNA of tech.™

Product Change Notification



Product Group: OPT/Fri Nov 3, 2023/PCN-OPT-1298-2023-REV-0

VO2223 series production line transfer

For further information, please contact your regional Vishay office.

CONTACT INFORMATION

Americas

Vishay Intertechnologies, Inc.
2585 Junction Avenue
-
San Jose United States 5134-1923
Phone: +1-408-567-8358
Fax: +1-408-240-5687
jim.toal@vishay.com

Europe

VISHAY Semiconductor GmbH
Theresienstr. 2
-
Heilbronn Germany 74025
Phone: +49-7131-7498-645
Fax: +49-7131-67-3144
boris.lazic@vishay.com

Asia

VISHAY Intertechnology Asia Pte. Ltd.
25 Tampines Street 92
Keppel Building # 02-00
Singapore Singapore 528877
Phone: +65 6780 7879
Fax: +65 6780 7897
jason.soon@vishay.com

Description of Change: The VO2223 power phototriac is manufactured in our Krubong, Malaysia plant. With the implementation of an improved lead frame, mold material, and state-of-the-art MOCVD emitter, the VO2223 will be manufactured on a different production line within the same plant.

Reason for Change: Transfer to another production line with introduction of new leadframe, mold material and emitter chip.

Expected Influence on Quality/Reliability/Performance: No influence on quality, reliability and performance expected. Nevertheless, we request our customers to test the product in their specific application.

Part Numbers/Series/Families Affected: Please see materials list on the succeeding page.

Vishay Brand(S): Vishay Semiconductors

Time Schedule:

Start Shipment Date: Sun Jan 14, 2024

Sample Availability: Components with the change implemented could start shipping on or after the start shipment date and will be a function of the availability of the material.

Product Identification: By lot code and pin 1 identifier

Qualification Data: This change has been rigorously qualified by company and industry standard

This PCN is considered approved, without further notification, unless we receive specific customer concerns before Sun Jan 7, 2024 or as specified by contract.

Issued By: Achim Kruck, achim.kruck@vishay.com




Product Change Notification



Product Group: OPT/Fri Nov 3, 2023/PCN-OPT-1298-2023-REV-0

The DNA of tech.™


VO2223	VO2223-X001	VO2223A	VO2223A-X001	VO2223A-X007T
VO2223B	VO2223B-X017T	VO2223B-X007T	VO2223B-3122	VO2223B-X001



The DNA of tech.™

PCN OPT-1298-2023 VO2223 Series Production Line Transfer

Achim Kruck
2023-10-11



© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.

1



The DNA of tech.™

Performance Comparison

Current vs. New Production Line
(VO2223B example)

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.

2

Electrical Characteristics

VISHAY
The DNA of tech.™

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.

3

Input

Current


INPUT						
Trigger input current	$V_I = 6\text{ V}$	I_{FI}	-	-	10	mA
Input reverse current	$V_{RI} = 5\text{ V}$	I_{RI}	-	-	10	μA
Forward voltage	$I_F = 10\text{ mA}$	V_F	0.9	-	1.5	V

New

INPUT						
Trigger input current	$V_T = 6\text{ V}$	I_{FT}	-	4.5	10	mA
Input reverse current	$V_{RI} = 5\text{ V}$	I_{RI}	-	-	10	μA
Forward voltage	$I_F = 10\text{ mA}$	V_F	0.9	-	1.5	V

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.

4


 The DNA of tech.™

Output

Current


OUTPUT						
Peak on-state voltage	$I_{TM} = 1\text{ A}$	V_{TM}	-	-	1.7	V
Peak off-state current	$V_{DRM} = 600\text{ V}$	I_{DRM}	-	-	100	μA
Holding current	$R_L = 100\ \Omega$	I_H	-	-	25	mA
Critical rate of rise of off-state voltage	$V_{IN} = 400\text{ V}_{RMS}$ (Fig. 3)	dV/dt_{cr}	-	600	-	V/ μs
Critical rate of rise of commutating voltage	$V_{IN} = 240\text{ V}_{RMS}, I_T = 1\text{ A}_{RMS}$ (Fig. 3)	dV/dt_{crq}	-	0.7	-	V/ μs


New

OUTPUT						
Peak on-state voltage	$I_{TM} = 1\text{ A}$	V_{TM}	-	-	1.7	V
Peak off-state current	$V_{DRM} = 600\text{ V}$	I_{DRM}	-	-	100	μA
Holding current	$R_L = 100\ \Omega$	I_H	-	-	25	mA
Critical rate of rise of off-state voltage	$V_{IN} = 400\text{ V}_{RMS}$ (Fig. 3)	dV/dt_{cr}	-	600	-	V/ μs
Critical rate of rise of commutating voltage	$V_{IN} = 240\text{ V}_{RMS}, I_T = 1\text{ A}_{RMS}$ (Fig. 3)	dV/dt_{crq}	-	0.7	-	V/ μs

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.

5



 The DNA of tech.™




Typical Characteristics

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.


6




7




8






The DNA of tech.™

11



The DNA of tech.™

12



THANK YOU

Contact Info:
e-mail: achim.kruck@vishay.com

© VISHAY INTERTECHNOLOGY, INC. ALL RIGHTS RESERVED.