

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Vitralit ® 6128

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

SU3	Industrial uses: Uses of substances as such or in preparations at industrial sites
PC1	Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

Address/Supplier

Panacol-Elosol GmbH
 Stierstaedter Str. 4
 61449 Steinbach (Taunus)
 Telephone no. +49 (0)6171/6202-0
 Fax no. +49 (0)6171/6202-590
 E-mail address of person responsible for this SDS msds@panacol.de

1.4. Emergency telephone number

During regular office hours +49 6171 6202 0; all other times call your local Poison Control Center.

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)		
	Skin Irrit. 2	H315
	Eye Dam. 1	H318
	Skin Sens. 1	H317
	STOT SE 3	H335
	Aquatic Acute 1	H400
	Aquatic Chronic 1	H410

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
 For explanation of abbreviations see section 16.

2.2. Label elements

Hazard pictograms



Signal word

Danger

Hazard statements ***

H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H410	Very toxic to aquatic life with long lasting effects.

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

Precautionary statements

P261.9	Avoid breathing vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains	Acrylic acid; 2-Hydroxyethyl methacrylate; Maleic acid; tert-Butylperbenzoate; Isobornyl acrylate
----------	---

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients**Hazardous ingredients****Isobornyl acrylate**

CAS No.	5888-33-5
EINECS no.	227-561-6
Registration no.	01-2119957862-25
Concentration	>= 25 < 50 %
Classification (Regulation (EC) No. 1272/2008)	
	Aquatic Acute 1 H400
	Skin Irrit. 2 H315
	Eye Irrit. 2 H319
	STOT SE 3 H335
	Skin Sens. 1B H317
	Aquatic Chronic 1 H410

2-Hydroxyethyl methacrylate

CAS No.	868-77-9
EINECS no.	212-782-2
Registration no.	01-2119490169-29
Concentration	>= 10 < 25 %
Classification (Regulation (EC) No. 1272/2008)	
	Eye Irrit. 2 H319
	Skin Sens. 1 H317
	Skin Irrit. 2 H315

Acrylic acid

CAS No.	79-10-7
EINECS no.	201-177-9
Registration no.	01-2119452449-31
Concentration	>= 3 < 5 %
Classification (Regulation (EC) No. 1272/2008)	
	Aquatic Acute 1 H400
	Flam. Liq. 3 H226
	Acute Tox. 4 H332
	Acute Tox. 4 H312
	Acute Tox. 4 H302
	Skin Corr. 1A H314
	Eye Dam. 1 H318
	Aquatic Chronic 2 H411
	STOT SE 3 H335

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 >= 1 %

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

DSD Directive 67/548/EEC, Annex I, Note D

2,2-Dimethoxy-1,2-diphenylethan-1-one

CAS No. 24650-42-8

EINECS no. 246-386-6

Registration no. 01-2120000336-73

Concentration >= 1 < 8,9 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 4 H302

STOT RE 2 H373

Aquatic Chronic 3 H412

tert-Butylperbenzoate

CAS No. 614-45-9

EINECS no. 210-382-2

Registration no. 01-2119513317-46

Concentration >= 0,1 < 1 %

Classification (Regulation (EC) No. 1272/2008)

Org. Perox. C H242

Skin Irrit. 2 H315

Skin Sens. 1 H317

Acute Tox. 4 H332

Aquatic Acute 1 H400

Aquatic Chronic 3 H412

Maleic acid

CAS No. 110-16-7

EINECS no. 203-742-5

Registration no. 01-2119488705-25

Concentration >= 0,1 < 1 %

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317

Eye Irrit. 2 H319

STOT SE 3 H335

Skin Irrit. 2 H315

Acute Tox. 4 H302

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317 >= 0,1

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

Trade name: Vitralit® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Dry powder, Carbon dioxide, Foam

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters**Special protective equipment for fire-fighting**

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case the product spills into sewage waters, immediately inform the authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid formation of aerosols. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep container tightly closed. Observe the usual precautions for handling chemicals.

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Storage classes

Storage class according to TRGS 510 10 Flammable liquids

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Observe TDS precautions.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Short term: filter apparatus, Filter A

Hand protection

Chemical resistant gloves

Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min

Eye protection

Safety glasses with side protection shield

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	transparent
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Remarks	not determined
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

Initial boiling point and boiling range

Remarks not determined

Flash point

Value > 100 °C

Evaporation rate (ether = 1) :

Remarks not determined

Flammability (solid, gas)

not determined

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

DensityValue 1,1 g/cm³
Temperature 25 °C**Solubility in water**

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity**dynamic**Value 800 mPa.s
Temperature 25 °C**Explosive properties**

evaluation not determined

Oxidising properties

Remarks not determined

9.2. Other information**Other information**

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

ATE	>	10.000	mg/kg
Method	calculated value according to GHS (e.g see UN GHS)		

Acute oral toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Species	rat		
LD50	>	1694	mg/kg

Silica

Species	rat		
LD50	>	1000	mg/kg
Method	OECD 401		

Acrylic acid

Species	rat		
LD50	=	1500	mg/kg

Acute dermal toxicity

ATE	>	10.000	mg/kg
Method	calculated value according to GHS (e.g see UN GHS)		

Acute dermal toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Species	rat		
LD50	>	5000	mg/kg

Silica

Species	rat		
LD50	>	2000	
Method	OECD 402		

Acrylic acid

Species	rabbit		
LD50	>=	2000	mg/kg

Acute inhalational toxicity

ATE	>	100	mg/l
Administration/Form	Vapors		
Method	calculated value according to GHS (e.g see UN GHS)		
ATE	>	20	mg/l
Administration/Form	Dust/Mist		
Method	calculated value according to GHS (e.g see UN GHS)		

Acute inhalative toxicity (Components)**Acrylic acid**

Species	rat		
LC50	>=	5,1	mg/l
Duration of exposure	4	h	
Administration/Form	Vapors		

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

Skin corrosion/irritation

Remarks not determined

Serious eye damage/irritation

Remarks not determined

Sensitization

Remarks not determined

Sensitization (Components)**Acrylic acid**

evaluation non-sensitizing

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

Fish toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Species	Bluegill (<i>Lepomis macrochirus</i>)		
LC50	6		mg/l
Duration of exposure	96	h	

Acrylic acid

Species	rainbow trout (<i>Oncorhynchus mykiss</i>)		
LC50	= 27		mg/l
Duration of exposure	96	h	

Daphnia toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Species	Daphnia magna		
EC50	26		mg/l
Duration of exposure	24	h	

Acrylic acid

Species	Daphnia magna		
EC50	= 47	to 95	mg/l
Duration of exposure	48	h	

Algae toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

Species	Scenedesmus subspicatus	
EC50	0,17	mg/l
Duration of exposure	72	h

Acrylic acid

Species	Scenedesmus subspicatus	
ErC50	= 0,13	mg/l
Duration of exposure	72	h

Bacteria toxicity (Components)**2,2-Dimethoxy-1,2-diphenylethan-1-one**

Species	activated sludge	
EC50	> 100	mg/l
Duration of exposure	3	h

12.2. Persistence and degradability**General information**

not determined

Chemical oxygen demand (COD) (Components)**Acrylic acid**

Value	= 1,48	kg/kg
-------	--------	-------

Biochemical oxygen demand (BOD5) (Components)**Acrylic acid**

Value	= 0,31	kg/kg
-------	--------	-------

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

12.6. Other adverse effects**General information**

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

EWC waste code	08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
----------------	-----------	--

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

EWC waste code	15 01 10*	packaging containing residues of or contaminated by
----------------	-----------	---

Trade name: Vitralit® 6128

Version: 7 / GB







Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

dangerous substances
Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	-		
EmS		F-A, S-F	
14.1. UN number	3082	3082	3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isobornyl acrylate, Acrylic acid)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isobornyl acrylate, Acrylic acid)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isobornyl acrylate, Acrylic acid)
14.3. Transport hazard class(es)	9	9	9
Label			
14.4. Packing group	III	III	III
Remarks	The product is not subject to any other provisions of ADR provided packaging of not more than 5 l / 5 kg (SP 375)	The product can be transported in accordance with IMDG Code paragraph 2.10.2.7, provided packaging not more than 5 l / 5 kg.	The product is not subject to any other provisions of IATA provided packaging of not more than 5 l / 5 kg (A197)
Limited Quantity	5 l		
Transport category	3		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant 	 ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 0 % 0 g/l

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

Trade name: Vitralit ® 6128

Version: 7 / GB

Date revised: 17.02.2020

Replaces Version: 6 / GB

Print date: 21.06.2021

SECTION 16: Other information

Hazard statements listed in Chapter 3

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure:
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Flam. Liq. 3	Flammable liquid, Category 3
Org. Perox. C	Organic peroxide, Type C
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT RE 2	Specific target organ toxicity - repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Department issuing safety data sheet

Department product safety

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.