Bedding Supports

23220.0450



Product Description

The bedding support is used to support overdetermined clamping points on components. The benefits of the bedding support are:

- Support for unstable components, without distortion
- Eliminates tool vibration during machining
- Compact, low construction
- Supports ribs, beads and shackles, for reinforcement of clamped components
- Distortion-free support of raw parts
- Easy handling
- Flat and long design allows clamping with adjustable clamping lever even outside the workpiece.

Material

Handle

· Zinc die-cast

Clamp


· Steel, case-hardened, blackened, ground

Operation

- 1. By releasing the clamping lever, the support bolt contacts the workpiece with a light spring load.
- 2. By clamping the clamping lever, the support pin is blocked without displacement.
- 3. The clamping lever is released after removal of the workpiece. Then push the support pin into the starting position and clamp using the lever.

By screwing grub screws or supports into the support pin's female thread, the support height can be adjusted.

Drawing



Erwin Halder KG

Sizes 8,5 x 75, 13 x 150 and 17 x 170 have only one slot.


Order information


	Dimensions														Load	е	I	Art. No.
b ₃	I ₁	l ₂	l ₃	I ₄	I ₅	I ₆	b ₁	b ₂	d₁	d ₂	h ₁	h ₂	r	s	capacity max.			
	[mm]													[mm]	[kN]		[g]	
25	387	110	30	200	30	89	85	40	M20	32	40	25	24	11	10	24420.0210	7350	23220.0450



www.halder.com Published on: 5.11.2022

Application example





Compliance

RoHS compliant

Contains lead - compliant according to exceptions 6a / 6b / 6c

Contains SVHC substances >0,1% w/w

Contains lead - SVHC list [REACH] as of 10.06.2022

Contains Proposition 65 substances



Lead can cause cancer and reproductive harm from exposure https://www.P65Warnings.ca.gov/

Free from Conflict Minerals

This product does not contain any substances designated as "conflict minerals" such as tantalum, tin, gold or tungsten from the Democratic Republic of Congo or adjacent countries.



Erwin Halder KG

www.halder.com Page 3 of 3
Published on: 5.11.2022