

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.12.2021

Revision: 14.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

- Article number: LX502U1E1484R
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Product category PC18 Ink and toners
- · Process category

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

- Environmental release category ERC7 Use of functional fluid at industrial site
- Article category AC13 Plastic articles
- Application of the substance / the mixture Printing inks

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Static Control Components (Europe) Ltd. Unit 30, Worton Drive Reading Berkshire RG2 0TG United Kingdom

info@scceurope.co.uk

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number: During normal opening times (08:00-17:00): +44 (0) 118-923-8800

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• **Classification according to Regulation (EC) NO. 1272/2008** The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· Description:	Resin mixture
Deseription	

· Dangerous components:

0 1		
CAS: 42405-40-3	Metal Complex Dye	0-≤2.5%
ELINCS: 403-360-0	Flam. Sol. 1, H228; (Aquatic Acute 1, H400; Aquatic Chronic 1, H410;	
Index number: 030-007-00-4		

(Contd. on page 2)

FIL



Printing date 15.12.2021

Revision: 14.12.2021

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

	Saturated Polyester Resin	>50-≤100%
CAS: 1317-61-9 EINECS: 215-277-5	triiron tetraoxide	>10-≤25%
	Carbon Black (totally bound)	0-≤10%
	Silica	>2.5-≤10%
	Polypropylene Wax	>2.5-≤10%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

- Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

EU



Printing date 15.12.2021

Revision: 14.12.2021

(Contd. of page 2)

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

See Section 13 for disposal information.

SECTION 7: Handling and storage

[•] 7.1 Precautions for safe handling

- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Do not store together with oxidising and acidic materials as well as heavy-metal compounds.
- · Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Protect from humidity and water.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale dust / smoke / mist.
- · Protection of hands:
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

FIL

Page 3/7



Printing date 15.12.2021

Revision: 14.12.2021

(Contd. of page 3)

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

• Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

011.0	all states and states and the
• 9.1 Information on basic physical and • General Information	chemical properties
· Appearance:	
Form:	Powder
Colour:	Black
· Odour:	Light
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
•	11
 Change in condition Melting point/freezing point: 	Undetermined.
Initial boiling point and boiling rang	
· Flash point:	No data available.
· Flammability (solid, gas):	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard in its original state.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	No data available.
· Density at 20 °C:	1.4 g/cm ³
v	Not determined.
· Relative density	Not determined.
· Vapour density	No data available.
· Evaporation rate	No data available.
· Solubility in / Miscibility with	
water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	No data available.
Kinematic:	No data available.
· Solvent content:	
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

(Contd. on page 5)



Printing date 15.12.2021

Revision: 14.12.2021

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

- Do not allow product to reach ground water, water course or sewage system. Harmful to aquatic organisms
- Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Page 5/7



Printing date 15.12.2021

Revision: 14.12.2021

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number	Not a regulated material under the United States DOT, IMDG ADR, RID, or ICAO/IATA.
· ADR, ADN, IMDG, IATA	Void
·14.2 UN proper shipping name	Not a regulated material under the United States DOT, IMDG ADR, RID, or ICAO/IATA
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG ADR, RID, or ICAO/IATA.
· ADR, ADN, IMDG, IATA	
Class	Void
· 14.4 Packing group	Not a regulated material under the United States DOT, IMDG ADR, RID, or ICAO/IATA.
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II and the IBC Code	of Marpol Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H228 Flammable solid.

EU



Page 7/7

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.12.2021

Revision: 14.12.2021

Trade name: Non-OEM Remanufactured Replacement Cartridge for: Lexmark®S50F2U00

(Contd. of page 6) H302 Harmful if swallowed. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 1: Flammable solids - Category 1 Acute Tox. 4: Acute toxicity - oral - Category 4 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * * Data compared to the previous version altered. No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.