

SAPPHIRE HI-LOAD 2

Page: 1

Compilation date: 10/10/2014

Revision No: 5

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SAPPHIRE HI-LOAD 2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of substance / mixture: Multi-purpose grease

1.3. Details of the supplier of the safety data sheet

### Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740

## Email: <u>customer-service@rocol.com</u>

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

## Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

# 2.2. Label elements

Label elements: This product has no label elements.

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

## SAPPHIRE HI-LOAD 2

### Page: 2

LUBRICATING OILS (LESS THAN 3% DMSO EXTRACT)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
278-012-2	74869-22-0	Substance with a Community workplace exposure limit.	-	30-50%

#### SOLVENT REFINED BASE OIL (NOTE L- LESS THAN 3% DMSO EXTRACT)

265-166-064742-62-7Substance with a Community workplace exposure limit.	-	10-30%
--	---	--------

### MOLYBDENUM DISULPHIDE

215-263-91317-33-5Substance with a Community workplace exposure limit.	-	2-10%
---	---	-------

## CALCIUM ACETATE

200-540-9	62-54-4	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	<2%	
			STOT SE 3: H335		

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Use water spray to cool containers. Suitable extinguishing media for the surrounding fire

should be used.

## 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

## SAPPHIRE HI-LOAD 2

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

## LUBRICATING OILS (LESS THAN 3% DMSO EXTRACT)

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5mg/m³	10mg/m³	-	
SOLVENT RE	FINED BASE OIL (NOTE	L- LESS THAN 3% DMSC	EXTRACT)	
EU	-	5 mg/m3	-	
MOLYBDENU	M DISULPHIDE			
UK	-	-	15mg/m3	10mg/m3
NEL/PNEC Va	lues		· · ·	
I	DNEL / PNEC No data av	vailable.		

#### 8.2. Exposure controls

Respiratory protection: Respiratory protection not normally required.

Hand protection: Nitrile gloves. PVC gloves.

Eye protection: Safety glasses with side-shields.

Skin protection: Protective clothing.

## SAPPHIRE HI-LOAD 2

Page: 4

Flash point°C: > 200 Relative density: < 1

#### Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
State:	Paste	
Colour:	Black	
Odour:	Odourless	
Evaporation rate:	Negligible	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Insoluble	
Viscosity:	Highly viscous	
Melting point/range°C:	> 200	
Autoflammability°C:	> 200	

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

## SAPPHIRE HI-LOAD 2

Page: 5

### Section 12: Ecological information

### 12.1. Toxicity

Ecotoxicity values: No data available.

### 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Non-volatile. Absorbed only slowly into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

### Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

#### Section 16: Other information

### Other information

Other information:	: This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	Compiled in accordance with REACH.	
Phrases used in s.2 and s.3:	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	
	H335: May cause respiratory irritation.	
Legend to abbreviations:	PNEC = predicted no effect level	
	DNEL = derived no effect level	
	LD50 = median lethal dose	

## SAPPHIRE HI-LOAD 2

**Page:** 6

	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal
	PGN = pigeon
	IVN = intravenous
	SCU = subcutaneous
	SKN = skin
	DRM = dermal
	OCC = ocular/corneal
	PCP = phycico-chemical properties
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.