

#### PCN#20190807004.2 Qualification of a new Green Mold Compound material for selected Devices Change Notification / Sample Request

Date: August 16, 2019 To: PREMIER FARNELL PCN

Dear Customer:

This is an announcement of a change to a device that is currently offered by Texas Instruments. The details of this change are on the following pages.

We request you acknowledge receipt of this notification within **30** days of the date of this notice. Lack of acknowledgement of this notice within 30 days constitutes acceptance of the change. If you require samples or additional data to support your evaluation, please request within 30 days.

The proposed first ship date is indicated on page 3 of this notification, unless customer agreement has been reached on an earlier implementation of the change.

This notice does not change the end-of-life status of any product. Should product affected be on a previously issued product withdrawal/discontinuance notice, this notification does not extend the life of that product or change the life time buy offering/discontinuance plan.

For questions regarding this notice, contact your local Field Sales Representative or the PCN Manager (<u>PCN ww admin team@list.ti.com</u>).

Sincerely,

PCN Team SC Business Services

### 20190807004 Attachment: 1

## **Products Affected:**

The devices listed on this page are a subset of the complete list of affected devices. According to our records, these are the devices that you have purchased within the past twenty-four (24) months. The corresponding customer part number is also listed, if available.

## DEVICE

TL431AILP TL431AILPR

#### **CUSTOMER PART NUMBER**

null null

Technical details of this Product Change follow on the next page(s).

PCN Number:		20190807004.2					PCN Date:		ate:	Aug 16, 2019			
		of a new Green Mold compound material for selected Devices											
Customer Contact:			<u>PCN</u>	Manage	<u>er</u>	De	Dept: Quality Services						
Proposed 1 <sup>st</sup> Ship Da			te: Feb 16, 202			020	0 Estimated Sample Availability:			е	Provided upon Request		
	Change Type:												
Assembly Site							Design				Wafer Bump Site		
		mbly Process			$\parallel$	Data Sheet					Wafer Bump Material		
					Part number change				Wafer Bump Process				
<ul> <li>Mechanical Specification</li> <li>Packing/Shipping/Labeling</li> </ul>			$+ \vdash$	Test Site					Wafer Fab Site Wafer Fab Materials				
	Раск	ing/Snipping/i	_abe	iing	Test Process					Wafer Fab Materials			
						PC		ataile			ware		
PCN Details Description of Change:													
Dest	cript		с.										
Texas Instruments is pleased to announce the qualification of a new green Mold compound material for the devices list below as follows:													
							Current					New	
Mold compoun			d material			401	4010025A1 (non-Green			)	402042101 (Green)		
	Marking Difference				YMLLLLS XXXXX TI YM = YEAR MONTH DATE CODE LLLL = ASSEMBLY LOT CODE X = DEVICE NAME S = ASSEMBLY SITE CODE				YM = LLLL = X = S =				
		for Change:											
		nold compoun	d ma	aterial	is be	ing dis	contir	nued by sup	oplie	r.			
		npliance.	n Fil	Eor	n Fi	Inctio	n Ou	ality or Pe	aliah	ili+.	/ (no	sitive / negativ	e).
Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative): None													
Anticipated impact on Material Declaration													
	Mat	impact to the erial Declaration	on	Material Declarations or Product Content reports are driven from production data and will be available following the production release. Upon production release the revised reports can be obtained from the <u>TI Eco-Info website</u> . There is no impact to the material meeting current regulatory compliance requirements with this PCN change.									
Changes to product identification resulting from this PCN:													

Sample product shipping label (not actual product label) The " <b>G3</b> " designator indicates Pb-Free/Green product with a terminal finish of Matte Sn						
TEXAS INSTRUMENTS MADE IN: Malaysia 2DC: 20: MSL '2 /260C/1 YEAR SEAL MSL '2 /260C/1 YEAR SEAL MSL 1 /235C/UNLIM 03/29 OPT: ITEM: 39 LBL: 5A (L)T0:175	/04 - 106 - 1	(1P) SN74LS07NSR (Q) 2000 (D) 0336 (31T)LOT: 3959047MLA (4W) TKY (1T) 7523483SI2 (P) (2P) REV: (V) 0033317 (20L) CS0: SHE (21L) CC0:USA (22L) AS0: MLA (23L) AC0: MYS				
Product Affected:						
TL431AILP	TL431AILPM-NT2	TL431ILP				
TL431AILPM	TL431AILPR	TL431ILPR				

# **Qualification Report**

Approve Date 10-Jul-2019

# **Qualification Results**

Data Displayed as: Number of lots / Total sample size / Total failed					
Туре	Test Name / Condition	Duration	Qual Device: <u>BQ2022ALPR</u>	Qual Device: <u>LP2950-50LPRE3</u>	Qual Device: <u>TL1431CLP</u>
ED	Electrical Characterization	Per Datasheet Parameters	-	-	1/30/0
FLAM	Flammability	Method A - UL94 V-0	-	-	3/15/0
HAST	Biased HAST 130C/85%RH	96 Hours	-	-	3/231/0
HTSL	High Temp. Storage Bake, 170 C	420 Hours	-	-	3/231/0
MQ	Manufacturability (Assembly)	(per mfg. Site specification)	3/Pass	3/Pass	3/Pass
PD	Physical Dimensions	(per mechanical drawing)	-	-	3/15/0
PKG	Solder Heat, 260C	10 seconds	-	-	3/66/0
TC	Temperature Cycle -65C/150C	500 Cycles	3/231/0	3/231/0	3/231/0
UHAST	Unbiased HAST 130C/85%RH	96 Hours	3/231/0	-	3/231/0
VM	Visual / Mechanical	(per mfg. Site specification)	Pass	-	Pass
XRAY	X-ray	(top side only)	-	3/15/0	3/15/0
YLD	FTY and Bin Summary	-	1/Pass	-	-

- QBS: Qual By Similarity

- Preconditioning was performed for Autoclave, Unbiased HAST, THB/Biased HAST, Temperature Cycle, Thermal Shock, and HTSL, as applicable

- The following are equivalent HTOL options based on an activation energy of 0.7eV : 125C/1k Hours, 140C/480 Hours, 150C/300 Hours, and 155C/240 Hours

- The following are equivalent HTSL options based on an activation energy of 0.7eV : 150C/1k Hours, and 170C/420 Hours

- The following are equivalent Temp Cycle options per JESD47 : -55C/125C/700 Cycles and -65C/150C/500 Cycles

Quality and Environmental data is available at TI's external Web site: http://www.ti.com/

Green/Pb-free Status:

Qualified Pb-Free(SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
USA	PCNAmericasContact@list.ti.com
Europe	PCNEuropeContact@list.ti.com
Asia Pacific	PCNAsiaContact@list.ti.com
Japan	PCNJapanContact@list.ti.com

# IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<u>www.ti.com/legal/termsofsale.html</u>) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.