# **TUNGSRAM**

Innovation is our heritage EST. 1896



## Product information


An extensive range of Specialist projector lamps which are precisely manufactured, with tailored filaments optimising source brightness giving high performance in many applications. -High lightgenerating efficacy to help reduce power consumption and heat generation- Prefocus-type caps or precision rim mounting to position the filament accurately in relation to the optics.

#### **Application areas**



Other







### Product data

Light Center Length [mm]	36.5
Product Code	88460
Bulb Shape	Tubular
Bulb Diameter [mm]	28.5
Maximum Overall Length [mm]	75
Net weight per piece [g]	20
Gross weight per piece [g]	35
Brand	GE Lighting
Cap/Base	GY9.5

#### Performance data

Rated Lumens [lm]	13000	
Weighted energy consumption [kWh/1000h]	500.0	
Energy efficiency class (EEC)	В	
Rated Life [h]	75	
Nominal correlated colour temperature (CCT) [K]] 3200		
Nominal lumens [lm]	13000	
Colour Rendering Index (CRI) [Ra]	100	

### Electrical data

Rated power [W]	500.0
Coil type	C-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	500.0
Nominal lamp voltage [V]	240

#### Logistic data

DUN Code	10043168884607	
EAN Code	0043168884600	
Pack Quantity	24	
Layer quantity	504 EUR, 600 UK	
Layer quantity EUR	504	
Layer quantity UK	600	
Pallet quantity EUR (PC)	4032	
Pallet quantity UK (PC)	4800	
Outer case size	170 x 255 x 130 (mm)	
Product status	Available	

Downloads & Links Go to the catalog site (HTTP) Entertainment Solution Spectrum Catalogue (PDF) Lighting design tools & calculators (HTTP) Lighting design tools & calculators (HTTP) Entertainment Pocket brochure (PDF) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.