

E217-16-10C



Products Low Voltage Products and Systems Modular DIN Rail Products Modular DIN Rail Components MDRCs
Command Devices

General Information

Extended Product Type:	E217-16-10C
Product ID:	2CCA703161R0001
EAN:	7612270938995
Catalog Description:	E217-16-10C
Long Description:	Pushbutton 1 NO / 1 NC with maintenance-free LED, Rated current: 16A/250 VACPDC, LED colour: red, 115-250 VACPDC, 12-48 VACDCPDC, 110-220 VDCPDC, Module width 0,5

Additional Information

Color:	Red
Country of Origin:	Switzerland (CH)
Customs Tariff Number:	85365053
Data Sheet, Technical Information:	2CCC441003C0101
Declaration of Conformity - CE:	2CCC441002D0601
E-nummer:	2102806
EAN:	7612270938995
ETIM 4:	EC001546 - Push button for distribution board
ETIM 5:	EC001546 - Push button for distribution board
ETIM 6:	EC001546 - Push button for distribution board
Environmental Information:	2CCC441003C0201
Instructions and Manuals:	2CCC441001C0201
Invoice Description:	E217-16-10C
Minimum Order Quantity:	10 piece
Number of Auxiliary Contacts CO (SPDT):	0
Number of LEDs:	1
Number of Main Contacts NC:	0
Number of Main Contacts NO:	1
Number of Poles:	1
Object Classification Code:	S
Options Provided:	1 NO
Package Level 1 EAN:	7612270938995
Package Level 1 Gross Weight:	531.2 g
Package Level 1 Height:	76 mm
Package Level 1 Length:	92.5 mm
Package Level 1 Units:	1 piece
Package Level 1 Width:	96 mm
Power Loss:	1.1 W
Product Main Type:	E217 Control Switches, Pushbuttons and Indicator Lights
Product Name:	Luminous Pushbutton
Product Net Depth:	67.5 mm
Product Net Height:	85 mm
Product Net Length:	92.5 mm
Product Net Weight:	0.050 kg
Product Net Width:	9 mm
Rated Current (I_n):	16 A
Rated Operational Voltage:	250 V
RoHS Information:	2CCC451021D0201
RoHS Status:	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Selling Unit of Measure:	piece
Short Description:	E217-16-10 C Illuminated push button red 16A 1NO 250VAC LED 115 ... 250VAC
Standards:	EN60669-1
Voltage Range:	115 ... 250 V AC
Width in Number of Modular Spacings:	0.5

