



Locking facilities ON-OFF, metal, OFF



Powering Business Worldwide™

**Part no.** IZMX-PLPC40-M-OFF-1  
**Article no.** 184230  
**Catalog No.** 67C3029G12

## Delivery programme

Product range			Accessories
Accessories			Interlocks
Accessories			Locking ON/OFF buttons
			The circuit-breaker's ON/OFF buttons can be locked together by using the interlock. It is also possible to lock only the ON or the OFF button by using a padlock. This means that it will no longer be possible to actuate the circuit-breaker locally. If the OFF button is interlocked, it will be continuously actuated. This means that it will not be possible to use remote switching if optional remote switching with an ON/OFF coil is being used. M = Metal
Material			Metall
For use with			IZMX40... INX40...
			ON-OFF Metal OFF

## Design verification as per IEC/EN 61439

Technical data for design verification			
Operating ambient temperature min.		°C	-25
Operating ambient temperature max.		°C	70

## Technical data ETIM 6.0

Low-voltage industrial components (EG000017) / Accessories for low-voltage switch technology (EC002498)			
Electric engineering, automation, process control engineering / Low-voltage switch technology / Low-voltage switch technology (accessories) / Component for low-voltage switch technology (accessories) (ec1@ss8.1-27-37-92-01 [AKN570010])			
Type of accessory			Mechanical locking