

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058	NANOCOLOR Manganese 10	Page: 1/14
Printing date: 27.09.2023	Date of issue: 28.09.2022	Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 985058  
 Product name NANOCOLOR Manganese 10

REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 0.5 mL Manganese 10 (R0) UFI: 68KU-5395-G20J-GKFE  
 1 x 11 mL Manganese 10 (R2) UFI: FW5U-83W0-D209-7EJ4  
 1 x 1.5 g Manganese 10 (R3) UFI: DY5U-S3KD-P20S-VS46

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

Lieferant / Supplier:  
 Carl Roth GmbH + Co KG  
 Schöpperlenstr. 3-5  
 76185 Karlsruhe, Germany  
 +49 721 5606 0  
[sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS05 GHS07 GHS08

Signal word	DANGER
Hazard identification	Hazard classes/categories
H290	Met. Corr. 1
H314	Skin Corr. 1 B
H317	Skin Sens. 1
H335	resp. irrit. STOT SE 3
H351	Carc. 2
H373	STOT RE 2

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

11 mL Manganese 10 (R2)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciennes Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 2/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2



GHS05

GHS07

Signal word

DANGER

**Hazard identification**

**Hazard classes/categories**

H314  
H335

Skin Corr. 1 B  
resp. irrit. STOT SE 3

**0.5 mL Manganese 10 (R0)**



GHS05

GHS07

GHS08

Signal word

DANGER

**Hazard identification**

**Hazard classes/categories**

H290  
H317  
H351

Met. Corr. 1  
Skin Sens. 1  
Carc. 2

**1.5 g Manganese 10 (R3)**



GHS08

Signal word

WARNING

**Hazard identification**

**Hazard classes/categories**

H373

STOT RE 2

List of H phrases: see section 16.2

**2.2 Label elements according regulation (EC) 1272/2008**

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

**11 mL Manganese 10 (R2)**



GHS05

GHS07

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 3/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

## 0.5 mL Manganese 10 (R0)



GHS05



GHS08

Signal word: DANGER  
H317, H351

May cause an allergic skin reaction.Suspected of causing cancer.

P201, P202, P261sh, P280sh, P302+352, P308+313, P333+313, P362+364, P405, P501

Obtain special instructions before use.Do not handle until all safety precautions have been read and understood.Avoid breathing dust/vapours.Wear protective gloves/eye protection.IF ON SKIN: Wash with plenty of water.IF exposed or concerned: Get medical advice/attention.If skin irritation or rash occurs: Get medical advice/attention.Take off contaminated clothing and wash it before reuse.Store locked up.Dispose of contents/container to regulated waste treatment.

## 1.5 g Manganese 10 (R3)



GHS08

Signal word: WARNING

### Label elements of the complete product



GHS05



GHS08

Signal word: DANGER  
H314, H317, H351

Causes severe skin burns and eye damage.May cause an allergic skin reaction.Suspected of causing cancer.

P201, P202, P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P333+313, P405, P501

Obtain special instructions before use.Do not handle until all safety precautions have been read and understood.Do not breathe dust/vapours.Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.Immediately call a POISON CENTER/doctor.If skin irritation or rash occurs: Get medical advice/attention.Store locked up.Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant.

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. Suspected of causing cancer.

### Information pertaining to particular risks to the environment

Avoid contact of substance/mixture to environment.

**PBT:** not applicable

**vPvB:** not applicable

### Possible endocrine disrupting effects

no data available



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 5/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

### 4.2 Most important symptoms and effects, both acute and delayed

Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Rapid penetration and destruction of the skin. Especially in the heated form.

Causes severe skin burns and eye damage.

CMR Effekte: Suspected of causing cancer.

### 4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

### 5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 6/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

Avoid contact of substance/mixture to environment.

PBT: not applicable

vPvB: not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

see information in section 5.4,7,8 and 13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 4.1A

Water hazard class (DE): 3

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 11 mL Manganese 10 (R2)

Chemical: *ammonia solution*

CAS No.: 1336-21-6

DNEL: [inh] 14 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.0011 mg/L

PNEC = Predicted No Effect Concentration

EU value: 20 ppm / 14 mg/m<sup>3</sup>

TRGS 900 (DE): 20 ppm / 14 mg/m<sup>3</sup>

E/e respirable

Short-term exposure factor: 2 (I), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 20 ppm / 14 mg/m<sup>3</sup>

NIOSH: [TWA] 25 ppm / 18 mg/m<sup>3</sup>

NIOSH STEL: 35 ppm / 27 mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: Yes (TQ = 15000 lbs) - n/a; [TWA] 50 ppm / 35 mg/m<sup>3</sup>

#### 0.5 mL Manganese 10 (R0)

Chemical: *paraformaldehyde*

CAS No.: 30525-89-4

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *hydroxylammonium chloride*

CAS No.: 5470-11-1

TRGS 900 (DE): 1.5 mg/m<sup>3</sup>

E/e respirable

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed



MACHEREY-NAGEL GmbH & Co. KG  
Valenciener Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058	NANOCOLOR Manganese 10	Page: 7/14
Printing date: 27.09.2023	Date of issue: 28.09.2022	Version: 2.2.2.2

### 1.5 g Manganese 10 (R3)

Chemical: *L(+)-ascorbic acid* CAS No.: 50-81-7

Chemical: *ethylenedinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6

DNEL: [inh] 1.5 mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water) : 2.2 mg/L

PNEC = Predicted No Effect Concentration

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 11 mL Manganese 10 (R2)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	aminic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	9-10,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,98 g/cm <sup>3</sup>
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

#### 0.5 mL Manganese 10 (R0)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	penetrative
d) Melting point:	no data available
e) Boiling point:	no data available



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 8/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

### 1.5 g Manganese 10 (R3)

a) State of aggregation:	solid
b) Colour:	white
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-30 %
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

### Properties relevant to substance groups

Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Strong CORROSIVE, no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.





# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 9/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 11 mL Manganese 10 (R2)

Chemical: *ammonia solution* CAS No.: 1336-21-6  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: inhalation, ingestion (solution), skin and/or eye contact (solution/liquid)  
 Target Organs: Eyes, skin, respiratory system  
 Symptoms: irritation eyes, nose, throat; dyspnea (breathing difficulty), wheezing, chest pain; pulmonary edema;  
 pink frothy sputum; skin burns, vesiculation; I  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes, Toxic Substances (Schedule 1) Yes  
 (Item 53.)  
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance  
 Japan ISHL: listed  $\geq 0,2\%$ / $\geq 0,1\%$ , Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-01688, >10% Toxic 97-1-184  
 LD50 orl rat : 350 mg/kg  
 LC<sub>Low</sub> ihl hmn : 5,000 mg/L  
 LC50 ihl rat : 2000 ppm/4H  
 Acute Effects: Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.

#### 0.5 mL Manganese 10 (R0)

Chemical: *paraformaldehyde* CAS No.: 30525-89-4  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed  
 Japan ISHL: Article 57-2 (SDS required)  
 South Korea TCCA: not listed  
 LD50 orl rat : 592 mg/kg  
 Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts.  
 Carcinogenic Effects: Suspected of causing cancer.

Chemical: *hydroxylammonium chloride* CAS No.: 5470-11-1  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Exposure Routes: -  
 Symptoms: -  
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes  
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-20602, >1% Toxic 97-1-411  
 LD50 orl rat : 141 mg/kg  
 Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts.  
 Carcinogenic Effects: Suspected of causing cancer.  
 TRGS 907 (DE): Sh

#### 1.5 g Manganese 10 (R3)

Chemical: *L(+)-ascorbic acid* CAS No.: 50-81-7  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-01947  
 LD50 orl rat : 11900 mg/kg

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)* CAS No.: 6381-92-6  
 TSCA Inventory: listed (CAS 139-33-3)  
 LD50 orl rat : 2800 mg/kg

Chronic Effects: May cause damage to organs through prolonged or repeated exposure.

### 11.2 Other hazards



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 10/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

**Possible endocrine disrupting effects**

no data available

**Other information**

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

**11 mL Manganese 10 (R2)**

Chemical: *ammonia solution*

CAS No.: 1336-21-6

Avoid contact of substance/mixture to environment.

PNEC (fresh water) : 0.0011 mg/L

PNEC = Predicted No Effect Concentration

LC50 fish/96h : 0,89 mg/L

EC50 daphnia/48h : 101 mg/L

Water hazard class (DE): 2 WGK No.: 0211

Storage class (VCI): 8 B

**0.5 mL Manganese 10 (R0)**

Chemical: *paraformaldehyde*

CAS No.: 30525-89-4

Water hazard class (DE): 2

Storage class (VCI): 11

Chemical: *hydroxylammonium chloride*

CAS No.: 5470-11-1

LC50 leuciscus idus/96h : 1-10 mg/L

Water hazard class (DE): 3

Storage class (VCI): 4.1 A

**1.5 g Manganese 10 (R3)**

Chemical: *L(+)-ascorbic acid*

CAS No.: 50-81-7

Water hazard class (DE): 1 WGK No.: 0737

Storage class (VCI): 13

Chemical: *ethylendinitrilo tetraacetic acid, di Na-salt (EDTA-Na)*

CAS No.: 6381-92-6

PNEC (fresh water) : 2.2 mg/L

PNEC = Predicted No Effect Concentration

LC50 fish/96h : [4d] 41-1592 mg/L

EC50 daphnia/48h : 140 mg/L

IC50 scenedesmus quadricauda/72h : [72h] 2.77-1000 mg/L

EC10 pseudomonas putita/16h : [EC10, 30h] 500 mg/L

Water hazard class (DE): 2

Dispersion coefficient (o/w) : -4,3

Storage class (VCI): 12-13

### 12.2 Persistence and degradability

not necessary

### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

### 12.6 Endocrine disrupting properties

no data available

### 12.7 Other adverse effects

no additional data available



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058

NANOCOLOR Manganese 10

Page: 11/14

Printing date: 27.09.2023

Date of issue: 28.09.2022

Version: 2.2.2.2

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Not necessary, see above.

## SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG  
CAO: 960 max. quantity CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) class 8 II, **Excepted Quantities** ( $\leq 30$  mL/ $\Sigma \leq 500$  mL) = ADR/ IATA E2

or

14.1 UN number: 3266

14.2 UN proper shipping name: Corrosive liquid, basic, inorganic, n.o.s. (ammonia solution)

14.3 Class: 8

14.4 Packing group: II

Road transport ADR

Classification code: C5 Tunnel restriction code: E  
Limited Quantity: 1 L  
Excepted Quantity: E 2

Air transport IATA DGR

Limited Quantity: PAX: 851 max. quantity PAX: 1 L  
CAO: 855 max. quantity CAO: 30 L

Excepted Quantity: E 2

Maritime transport IMDG

EmS: F-A, S-B Staukategorie: B

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017  
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
 TRGS 500, Protective measures, Mai 2008  
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015  
 Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)  
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985058	NANOCOLOR Manganese 10	Page: 12/14
Printing date: 27.09.2023	Date of issue: 28.09.2022	Version: 2.2.2.2

TRGS 561, Activities involving carcinogenic metals and their compounds, Oct 2017  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

**15.2 Chemical safety assessment**  
 not necessary for these small amounts

**SECTION 16: Other information**

**16.1 Changes compared to the last version**  
 in preparation

**16.2 List of H and P phrases**

**16.2.1 List of relevant H phrases**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

**16.2.2 List of relevant P phrases**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260sh Do not breathe dust/vapours.
- P264 Wash hands thoroughly after handling.
- P280sh Wear protective gloves/eye protection.
- P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P333+313 If skin irritation or rash occurs: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container to regulated waste treatment.

**16.3 Recommended restriction on use**

Only for professional user.  
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
 An individual package of this product or test kit has a moderate hazardous potential.

**16.4 Sources of key data**

KÜHN, BIRETT, Leaflets on hazardous materials, 2021  
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
 Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009  
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)  
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG  
 TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011  
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)  
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)  
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)  
 TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016  
 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)  
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)  
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019  
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG  
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)  
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 985058	NANOCOLOR Manganese 10	Page: 13/14
Printing date: 27.09.2023	Date of issue: 28.09.2022	Version: 2.2.2.2

**revisions/updates**

*Reason for revision:* 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
 2014-04 adjustment according Regulation 487/2013/EU  
 2016-03 adjustment according Regulation 1221/2015/EU  
  
 2017-11 adjustment according the ECHA registration dossier  
 2022-11 adjustment according Regulation 878/2020/EU

**16.5 Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

**16.6 Legend / Abbreviations**

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxygen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not specified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fisch, fathead minnow
- PNEC: Predicted No Effect Concentration
- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 985058	NANOCOLOR Manganese 10	Page: 14/14
Printing date: 27.09.2023	Date of issue: 28.09.2022	Version: 2.2.2.2

quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

