

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225	VISOCOLOR PP Silica HR	Page: 1/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 936225
 Product name VISOCOLOR PP Silica HR

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

100 x 360 mg Acid Reagent UFI: D4UW-5349-T20D-XFSX
 100 x 150 mg Citric Acid Reagent UFI: AWUW-Q3AV-J20U-VJ1H
 100 x 180 mg Molybdate Reagent HR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valenciennes Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ)
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

*Lieferant / supplier:
 Carl Roth GmbH + Co KG
 Schöpperlenstr. 3-5
 76185 Karlsruhe, Germany
 +49 721 5606 0
 sicherheit@carlroth.de*

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07

Signal word	WARNING
Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H335	resp. irrit. STOT SE 3
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

180 mg Molybdate Reagent HR

Signal word	Do not need labelling as hazardous
No hazard class	-



MACHEREY-NAGEL GmbH & Co. KG
 Valenciennes Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225

VISOCOLOR PP Silica HR

Page: 2/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

360 mg Acid Reagent



GHS07

Signal word: WARNING

Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H412	Aquatic Chronic 3

150 mg Citric Acid Reagent



GHS07

Signal word: WARNING

Hazard identification	Hazard classes/categories
H319	Eye Irrit. 2
H335	resp. irrit. STOT SE 3

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

180 mg Molybdate Reagent HR

Do not need labelling as hazardous

Signal word: -

360 mg Acid Reagent



GHS07

Signal word: WARNING

150 mg Citric Acid Reagent



GHS07

Signal word: WARNING

Label elements of the complete product



GHS07



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225
Printing date: 27.09.2023

VISOCOLOR PP Silica HR
Date of issue: 06.07.2023

Page: 3/11
Version: 2.2.2.3

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms

Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

150 mg Citric Acid Reagent

Substance name: *citric acid*
CAS No.: 77-92-9

Substance rating: H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3
Formula: $C_6H_8O_7$
Pseudonym (de): Zitronensäure
REACH Reg. No.: 01-2119457026-42-xxxx
EC No.: 201-069-1
Concentration: 80 - <100 %
acc. CLP (GHS): H319, Eye Irrit. 2, H335, resp. irrit. STOT SE 3

180 mg Molybdate Reagent HR

Substance name: *sodium molybdate (dihydrate)*
CAS No.: 10102-40-6

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $Na_2MoO_4 \cdot 2H_2O$
Pseudonym (de):
EC No.: 231-551-7
Concentration: 35 - <100 % Correlation factor: x 0.40 (= %Mo)
The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)
acc. CLP (GHS): The criteria for classification are not fulfilled.

360 mg Acid Reagent

Substance name: *aminosulfonic acid (sulfamic acid)*
CAS No.: 5329-14-6

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3
Formula: $H_3NO_3S; NH_2-SO_3H$
Pseudonym (de): Amidosulfonsäure
REACH Reg. No.: 01-2119488633-28-xxxx
EC No.: 226-218-8 Indice No.: 016-026-00-0
Concentration: 70 - <90 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225

VISOCOLOR PP Silica HR

Page: 4/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2 Environmental precautions

not necessary, contains only small amounts of these substances

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225
 Printing date: 27.09.2023

VISOCOLOR PP Silica HR
 Date of issue: 06.07.2023

Page: 5/11
 Version: 2.2.2.3

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 8B
 Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

150 mg Citric Acid Reagent

Chemical: *citric acid* CAS No.: 77-92-9

PNEC (fresh water): 440 mg/L
 PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 2 E mg/m³
 E/e respirable

Short-term exposure factor: 2 (I) Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

180 mg Molybdate Reagent HR

Chemical: *sodium molybdate (dihydrate)* CAS No.: 10102-40-6

TRGS 900 (DE): [Mo] 0,5 mg/m³
 E/e respirable

SUVA(CH) MAK value: [Mo] 5 e mg/m³

360 mg Acid Reagent

Chemical: *aminosulfonic acid (sulfamic acid)* CAS No.: 5329-14-6

DNEL: [derm] 10 mg/kg bw/d; [inh] 70,5 mg/m³
 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 1.8 mg/L
 PNEC = Predicted No Effect Concentration

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225

VISOCOLOR PP Silica HR

Page: 6/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

150 mg Citric Acid Reagent

a) State of aggregation:	solid
b) Colour:	white
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

180 mg Molybdate Reagent HR

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

360 mg Acid Reagent

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225
Printing date: 27.09.2023

VISOCOLOR PP Silica HR
Date of issue: 06.07.2023

Page: 7/11
Version: 2.2.2.3

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.
Properties relevant to substance groups

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

150 mg Citric Acid Reagent

Chemical: *citric acid* CAS No.: 77-92-9
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-20831
LD50 orl rat : > 3000 mg/kg
LC50 ihl rat : 5,800 mg/L
LD50 orl mus : 5400 mg/kg
LD50 scu rat : 5500 mg/kg
Acute Effects: Cause after inhalation of vapours/dust, impairments of health when ingested in small quantities.

180 mg Molybdate Reagent HR

Chemical: *sodium molybdate (dihydrate)* CAS No.: 10102-40-6
TSCA Inventory: not listed
Japan ISHL: listed $\geq 1,0\%$ / $\geq 0,1\%$,
LD50 orl rat : 4233 mg/kg

360 mg Acid Reagent

Chemical: *aminosulfonic acid (sulfamic acid)* CAS No.: 5329-14-6
TSCA Inventory: listed
Target Organs: affect the eye or visual capacity
Symptoms: conjunctivitis; corneal damage
LD50 orl rat : 2065 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225	VISOCOLOR PP Silica HR	Page: 8/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

150 mg Citric Acid Reagent

Chemical:	<i>citric acid</i>	CAS No.: 77-92-9
PNEC (fresh water) :	440 mg/L	
PNEC = Predicted No Effected Concentration		
LC50 leuciscus idus/96h :	440-760 mg/L	
EC50 daphnia/48h :	1535 24h mg/L	
IC50 scenedesmus quadricauda/72h :	7d: 425-640 mg/L	
EC10 pseudomonas putita/16h :	EC0: >10 g/L	
Water hazard class (DE):	1	WGK No.: 0057
Dispersion coefficient (o/w) :	-1,72	
Storage class (VCI):	13	

180 mg Molybdate Reagent HR

Chemical:	<i>sodium molybdate (dihydrate)</i>	CAS No.: 10102-40-6
Water hazard class (DE):	1	WGK No.:
Storage class (VCI):	12-13	

360 mg Acid Reagent

Chemical:	<i>aminosulfonic acid (sulfamic acid)</i>	CAS No.: 5329-14-6
Harmful to aquatic life with long lasting effects. Avoid contact of substance/mixture to environment.		
Environmental hazards must not be labelled with P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).		
PNEC (fresh water) :	1.8 mg/L	
PNEC = Predicted No Effected Concentration		
LC50 fish/96h :	[4d] 70.3 mg/L	
EC50 daphnia/48h :	[48h=24h] 71.6 mg/L	
IC50 scenedesmus quadricauda/72h :	[72h] 48 mg/L	
Water hazard class (DE):	1	WGK No.: 1266
Dispersion coefficient (o/w) :	-4,34	
Storage class (VCI):	8 B	

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225	VISOCOLOR PP Silica HR	Page: 9/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

- 14.5 Environmental hazards**
none, contains only small quantities of hazardous substances, contains only small amounts of these substances
- 14.6 Special precautions for user**
not necessary
- 14.7 Carriage in bulk by sea in accordance with IMO instruments**
Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

- 15.2 Chemical safety assessment**
not necessary for these small amounts

SECTION 16: Other information

- 16.1 Changes compared to the last version**
Between versions 2.2.2.3 and 2.2.2.2 following changes were applied: - 1 substance data corrected
- 16.2 List of H and P phrases**
 - 16.2.1 List of relevant H phrases**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
 - 16.2.2 List of relevant P phrases**
- 16.3 Recommended restriction on use**
Only for professional user.
An individual package of this product or test kit has a moderate hazardous potential.
- 16.4 Sources of key data**
KÜHN, BIRETT, Leaflets on hazardous materials, 2021
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)
Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225	VISOCOLOR PP Silica HR	Page: 10/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxygen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not specified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fisch, fathead minnow



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 936225	VISOCOLOR PP Silica HR	Page: 11/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

