



INSTA CONTACTOR WITH 2 NO CONT. AND 2 NC
CONT. CONTACT FOR AC 230, 400V 40A
ACTIVATION ACDC24V

Figure similar

| Model | | |
|--|---|------------------|
| product brand name | | SENTRON |
| Product designation | | Insta contactors |
| Protection class | | |
| Protection class IP | | IP20 |
| Dissipation | | |
| Active power loss | | |
| <ul style="list-style-type: none"> for rated value of the current / with AC / in hot operating state / per pole | W | 4 |
| Main circuit | | |
| Operating voltage / Rated value | | |
| <ul style="list-style-type: none"> minimum | V | 400 |
| <ul style="list-style-type: none"> maximum | V | 400 |
| Operating current / Rated value | A | 40 |
| Control current | | |
| Control supply voltage / Rated value | V | 24 |
| <ul style="list-style-type: none"> maximum | V | 24 |
| Product details | | |
| Product component / Slide for manual operation | | No |
| Product expansion / can be installed / supplementary devices | | Yes |
| Number | | |
| Number of NC contacts | | 2 |

| | | |
|-----------------------|--|---|
| Number of NO contacts | | 2 |
|-----------------------|--|---|

Mechanical Design

| | | |
|-----------------------|----|------|
| Height | mm | 90 |
| Width | mm | 53.5 |
| Depth | mm | 71 |
| Installation depth | mm | 64 |
| Number of width units | | 3 |

Certificates

| | | |
|--|--|---|
| Equipment marking / acc. to DIN EN 61346-2 | | Q |
|--|--|---|

| | |
|---------------------------------|----------------------------------|
| General Product Approval | Declaration of Conformity |
|---------------------------------|----------------------------------|



[other](#)



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TT50422>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT50422/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT50422

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

11.03.2015