



<b>Product / Process Change Notification (PCN)</b>	
<input type="checkbox"/> Major change <input checked="" type="checkbox"/> Minor change	
<b>PCN #:</b> PCN_VarVD_20231208 <b>Affected Series:</b> WE-VD; 820x1xxxx; 820x4xxxx <b>PCN Date:</b> November 08, 2023 <b>Effective Date:</b> December 08, 2023	<b>Change Category:</b> <input type="checkbox"/> Equipment / Location <input checked="" type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input type="checkbox"/> Shipping / Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software
<b>Contact:</b> Product Management <b>Phone:</b> +49 (0) 7942 - 945 5001 <b>Fax:</b> +49 (0) 7942 - 945 5179 <b>E-Mail:</b> pcn.eisos@we-online.com	<b>Data Sheet Change:</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <b>Attachment:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<b>Description and purpose of change:</b> <p>Because of a database mismatch, Würth Elektronik corrected in the datasheet the parameter d (Packaging Specification – Tape and Reel, page 3) from 1 mm to 0.8±0.05 mm.          The pin diameter value is also shown in the section Dimensions (page 1) with the correct value (0.8±0.05 mm) before the change.          This change affects all the WE-VD Disk Varistor parts with 10 mm and 14 mm of size.</p> <p>This is a datasheet correction only. There will be no change in form, fit, function, quality or reliability of the product.</p>	



**Detail of Change:**

**BEFORE CHANGE**

The value of the parameter d in the section Packaging Specification – Tape and Reel (page 3) is wrong.

Packaging is referred to the international standard IEC 60286-2:2015

P	P0	P1	F	W	W0	W1	W2	H	H1	D0	d	T	T1	Material	Packaging Unit
±1.0	±0.3	±0.7	+0.5/-0.2	+1.0/-0.5	min.	+0.75/-0.5	max.	±0.5	max.	±0.2	max.	max.	max.		pcs.
25.4	12.7	8.95	7.5	18	12	9	3	20	32.5	4	1	0.6	1.8	Paper	1000

**AFTER CHANGE**

The value of the parameter d in the section Packaging Specification – Tape and Reel will be modified from 1 mm to 0.8±0.05 mm.

Packaging is referred to the international standard IEC 60286-3:2019

P	P0	P1	F	W	W0	W1	W2	H	H1	D0	d	T	T1	Material	Packaging Unit
±1.0	±0.3	±0.7	+0.5/-0.2	+1.0/-0.5	min.	+0.75/-0.5	max.	±0.5	max.	±0.2	±0.05	max.	max.		pcs.
25.4	12.7	8.95	7.5	18	12	9	3	20	32.5	4	0.8	0.6	1.8	Paper	1000

**Reliability / Qualification Summary:**

There will be no change of the product, therefore no additional reliability or qualification testing will be performed.