












PART NUMBER	CKTS	QUANTITY PER BAG	BAGS PER CARTON	PARTS PER CARTON (SPQ)	MOISTURIZATION METHOD 	PANEL LOCK
215922-0201	2	3000	4	12000	NO MOISTURIZATION	WITHOUT
215922-0401	4	2600	4	10400		
215922-0601	6	2400	4	9600		
215922-0801	8	2200	4	8800		
215922-1001	10	2000	4	8000		
215922-1201	12	1800	4	7200		
215922-1401	14	1600	4	6400		
215922-1601	16	1200	4	4800		
215922-1801	18	1000	4	4000		
215922-2001	20	800	4	3200		
215922-2201	22	600	4	2400		
215922-2401	24	450	4	1800		
215922-0200	2	2000	4	8000	SEE SHEET 2	WITH
215922-0400	4	1800	4	7200		
215922-0600	6	1600	4	6400		
215922-0800	8	1400	4	5600		
215922-1000	10	1400	4	5600		
215922-1200	12	1200	4	4800		
215922-1400	14	1000	4	4000		
215922-1600	16	800	4	3200		
215922-1800	18	800	4	3200		
215922-2000	20	600	4	2400		
215922-2200	22	400	4	1600		
215922-2400	24	350	4	1400		





- NOTES:
-  MOISTURIZATION METHOD DESCRIPTION REFER TO SHEET 2.
 - STANDARD PACKAGE QUANTITY (SPQ) SEE ABOVE CHART.
 - PACKAGE WAY FOLLOW RIGHT ILLUSTRATION.
 - ALL PACKAGE MATERIAL AND PRODUCT COMPLIANT TO RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EC.

FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			
	= 0	DIMENSION UNITS	SCALE	EC NO: 683725			
	= 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: GLLI 2021/10/28		PRODUCT CUSTOMER DRAWING	
	= 0	ANGULAR TOL ± °		CHK'D: XQZHANG 2021/11/15		DOCUMENT NUMBER	
DIVISIONAL SYMBOLS		4 PLACES ±		APPR: XQZHANG 2021/11/15		2159220000-PK	
		3 PLACES ± 0.1		INITIAL REVISION:		DOC TYPE	
		2 PLACES ± 0.3		DRWN: GLLI 2021/10/28		DOC PART	
		1 PLACE ± 0.5		APPR: XQZHANG 2021/11/15		REVISION	
		0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A	
		THIRD ANGLE PROJECTION		DRAWING		SHEET NUMBER	
				A3-SIZE		1 OF 2	
		SERIES		MATERIAL NUMBER		CUSTOMER	
		215922					




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
FUNCTIONAL SYMBOLS	△/A = 0	mm	1:1	CURRENT REV DESC:			molex			
	△/E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)								
DIVISIONAL SYMBOLS	△/V = 0	ANGULAR TOL ± °		EC NO: 683725 DRWN: GLLI 2021/10/28 CHK'D: XQZHANG 2021/11/15 APPR: XQZHANG 2021/11/15			PACKING SPEC FOR MICRO-FIT PLUS WTW HSG			
		4 PLACES ±					PRODUCT CUSTOMER DRAWING			
		3 PLACES ± 0.1		INITIAL REVISION: DRWN: GLLI 2021/10/28 APPR: XQZHANG 2021/11/15			DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
		2 PLACES ± 0.3					2159220000-PK	PSD	000	A
		1 PLACE ± 0.5		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NUMBER		CUSTOMER	
	0 PLACES ±								2 OF 2	
		THIRD ANGLE PROJECTION		DRAWING	SERIES					
				A3-SIZE	215922					

FREE HANGING PLUG PARTS






PART No	DIM'A'	DIM'B'	CKT SIZE
215922-0201	3.85	5.45	2
215922-0401	6.85	8.45	4
215922-0601	9.85	11.45	6
215922-0801	12.85	14.45	8
215922-1001	15.85	17.45	10
215922-1201	18.85	20.45	12
215922-1401	21.85	23.45	14
215922-1601	24.85	26.45	16
215922-1801	27.85	29.45	18
215922-2001	30.85	32.45	20
215922-2201	33.85	35.45	22
215922-2401	36.85	38.45	24

- NOTES:
1. MATERIAL: PA66, 94V-0, BLACK.
 2. PRODUCT SPECIFICATION: 2159530000-PS.
 3. PACKAGE SPECIFICATION: 2159220000-PK.
 4. TO USE WITH TERMINAL OF 2015953-****.
 5. TO USE WITH TPA OF 206462-****.
 6. TO MATE WITH RECEPTACLE OF 206461-****.
 7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.




FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex	
$\nabla_A = 0$	mm	SCALE	1:1	EC NO: 683725			
$\nabla_E = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)			DRWN: GLLI 2021/10/27		PRODUCT CUSTOMER DRAWING	
$\nabla_F = 0$	ANGULAR TOL ± °			CHK'D: XQZHANG 2021/11/15		DOCUMENT NUMBER	
DIVISIONAL SYMBOLS		4 PLACES ±		APPR: XQZHANG 2021/11/15		2159220000-SD	
		3 PLACES ±		INITIAL REVISION:		DOC TYPE	
		2 PLACES ± 0.2		DRWN: GLLI 2021/01/29		PSD	
		1 PLACE ± 0.3		APPR: XQZHANG 2021/11/15		DOC PART	
		0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		000	
		THIRD ANGLE PROJECTION		DRAWING		REVISION	
		A3-SIZE		SERIES		A	
		215922		MATERIAL NUMBER		SHEET NUMBER	
		GENERAL MARKET		CUSTOMER		1 OF 6	

FREE HANGING PLUG PARTS




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
FUNCTIONAL SYMBOLS	△/A = 0	mm	1:1	CURRENT REV DESC:						
	△/E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)								
DIVISIONAL SYMBOLS	△/V = 0	ANGULAR TOL ± °		EC NO: 683725			PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR			
		4 PLACES	±							
		3 PLACES	±	DRWN: GLLI	2021/10/27	PRODUCT CUSTOMER DRAWING				
		2 PLACES	± 0.2	CHK'D: XQZHANG	2021/11/15					
		1 PLACE	± 0.3	APPR: XQZHANG	2021/11/15	DOCUMENT NUMBER: 2159220000-SD DOC TYPE: PSD DOC PART: 000 REVISION: A				
	0 PLACES	±	INITIAL REVISION:							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER		
				A3-SIZE	215922		GENERAL MARKET	2 OF 6		


FREE HANGING PLUG PARTS




2 CKT




4 CKT




6 CKT




8 CKT




10 CKT




12 CKT




14 CKT




16 CKT




18 CKT




20 CKT



22 CKT




24 CKT





FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex				
	$\nabla_A = 0$ $\nabla_E = 0$ $\nabla_P = 0$	DIMENSION UNITS: mm SCALE: 1:1						GENERAL TOLERANCES (UNLESS SPECIFIED)	
DIVISIONAL SYMBOLS	ANGULAR TOL ± °		EC NO: 683725		PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR				
	4 PLACES ±		DRWN: GLLI 2021/10/27		PRODUCT CUSTOMER DRAWING				
	3 PLACES ±		CHK'D: XQZHANG 2021/11/15		DOCUMENT NUMBER				
	2 PLACES ± 0.2		APPR: XQZHANG 2021/11/15		2159220000-SD		DOC TYPE	DOC PART	REVISION
1 PLACE ± 0.3		INITIAL REVISION:		2021/01/29		PSD		000	A
0 PLACES ±		DRWN: GLLI 2021/11/15		APPR: XQZHANG 2021/11/15		GENERAL MARKET		3 OF 6	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER	
				A3-SIZE	215922		GENERAL MARKET	3 OF 6	


PANEL MOUNT PLUG PARTS




MOLEX LOGO




FIRST CIRCUIT INDICATOR



MOLEX SERIES NUMBER



3.00 (PITCH)





PART No	DIM 'A'	DIM 'C'	DIM 'D'	DIM 'E'	DIM 'F'	CKT SIZE
215922-0200	3.85	6.25	10.77	8.77	4.15	2
215922-0400	6.85	9.25	13.77	11.77	7.15	4
215922-0600	9.85	12.25	16.77	14.77	10.15	6
215922-0800	12.85	15.25	19.77	17.77	13.15	8
215922-1000	15.85	18.25	22.77	20.77	16.15	10
215922-1200	18.85	21.25	25.77	23.77	19.15	12
215922-1400	21.85	24.25	28.77	26.77	22.15	14
215922-1600	24.85	27.25	31.77	29.77	25.15	16
215922-1800	27.85	30.25	34.77	32.77	28.15	18
215922-2000	30.85	33.25	37.77	35.77	31.15	20
215922-2200	33.85	36.25	40.77	38.77	34.15	22
215922-2400	36.85	39.25	43.77	41.77	37.15	24

RECOMMENDED PANEL CUT OUT
(TOLERRANCE +/-0.05 THICKNESS=1.2~2.2MM)


FUNCTIONAL SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:		molex	
▽A = 0	mm	SCALE	1:1	GENERAL TOLERANCES (UNLESS SPECIFIED)			
▽E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)			ANGULAR TOL ± °		PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR	
▽F = 0	ANGULAR TOL ± °			4 PLACES ±		PRODUCT CUSTOMER DRAWING	
DIVISIONAL SYMBOLS		3 PLACES ±		EC NO: 683725		DOCUMENT NUMBER	
2 PLACES ± 0.2		2 PLACES ± 0.2		DRWN: GLLI 2021/10/27		DOC TYPE	
1 PLACE ± 0.3		1 PLACE ± 0.3		CHK'D: XQZHANG 2021/11/15		DOC PART	
0 PLACES ±		0 PLACES ±		APPR: XQZHANG 2021/11/15		REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		INITIAL REVISION:		2159220000-SD	
DRAWING		SERIES		DRWN: GLLI 2021/01/29		PSD	
A3-SIZE		215922		APPR: XQZHANG 2021/11/15		000	
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		A	
GENERAL MARKET		4 OF 6					

PANEL MOUNT PLUG PARTS




FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			molex																
	▽A = 0	mm							SCALE	1:1												
▽E = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 683725 DRWN: GLLI 2021/10/27 CHK'D: XQZHANG 2021/11/15 APPR: XQZHANG 2021/11/15			PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR																
▽P = 0	ANGULAR TOL ± °																					
DIVISIONAL SYMBOLS	4 PLACES	±	INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15			PRODUCT CUSTOMER DRAWING																
	3 PLACES	±																				
	2 PLACES	± 0.2				DOCUMENT NUMBER			2159220000-SD													
	1 PLACE	± 0.3										DOC TYPE	DOC PART	REVISION								
0 PLACES	±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION			DRAWING			SERIES			MATERIAL NUMBER			CUSTOMER			SHEET NUMBER		
			A3-SIZE			215922			GENERAL MARKET			5 OF 6										


PANEL MOUNT PLUG PARTS




2 CKT




4 CKT




6 CKT




8 CKT




10 CKT




12 CKT




14 CKT




16 CKT




18 CKT




20 CKT



22 CKT



24 CKT



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		<p style="text-align: center;">molex</p> <p style="text-align: center;">PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR</p>			
	$\nabla_A = 0$ $\nabla_F = 0$ $\nabla_P = 0$	DIMENSION UNITS mm				
DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 683725		2021/10/27	
	ANGULAR TOL ± °		DRWN: GLLI		2021/11/15	
	4 PLACES ±		CHK'D: XQZHANG		2021/11/15	
	3 PLACES ±		APPR: XQZHANG		2021/11/15	
	2 PLACES ± 0.2		INITIAL REVISION:			
	1 PLACE ± 0.3		DRWN: GLLI		2021/01/29	
	0 PLACES ±		APPR: XQZHANG		2021/11/15	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
			A3-SIZE	215922	2159220000-SD	GENERAL MARKET
			DOCUMENT NUMBER		DOC TYPE	DOC PART
			2159220000-SD		PSD	000
					REVISION	A
					SHEET NUMBER	
					6 OF 6	