## Suppression Chokes SU10V Series

# multicomp PRO



#### Features

- Common mode low current
- · A range of compact high inductance common mode chokes to provide excellent attenuation of RFI
- · Suitable for filtering of power supply rails and use in audio / communication equipment

#### **Specifications**


Voltage Rating Frequency Range Insulation Resistance Operating Temperature Inductance measured at Withstanding Voltage Thermal Class

- : 250V AC / DC
- : 0.1 to 10MHz
- : >100MΩ at 500V DC (between lines)
- : -25°C to +80°C
  - : 10kHz, 1mA, KC530
  - : 2,400V AC (2 seconds between lines)
- : E (120°C)

#### **Specification Table**

Part Number	Current Rating (A)	Minimum Inductance (mH)	DC Resistance (Ω / Line)	Maximum Temperature Risk (K)
SU10V-05050	0.5	5	1.5	
SU10V-15010	1.5	1	0.2	40
SU10V-20006	2	0.6	0.15	

### Diagram




Dimensions : Millimetres

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro




### **Suppression Chokes** SU10V Series

# multicomp PRO



#### Part Number Explanation



Core Type	: V = Vertical type
Current Rating	: 05 = 0.5A, 15 = 1.5A and 20 = 2A
Inductance	: 050 = 5mH, 010 = 1mH and 006 = 0.6mH

Important Notice : This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability for jets accuracy or completeness, any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

