

Stafford 12/03/2020 23:59:15

RAPID ELECTRONICS LTD

For the Attention of: Product/Plant Safety Manager

Safety Data Sheet(s) for your products

Dear Customer,

The safety data sheet(s) identified at the end of this page are for products supplied to your company.

We are in the final stages of updating our SDS Authoring software. The SDS (s) may appear different from those you have previously received from Bostik. You might receive SDS(s) that you have received recently as we are starting new with our SDS distribution history, we apologize in advance if some temporary inconvenience should occur. Following the initial distribution you will receive new SDS, on first order of a product, if a new version issued, or if 1 year since product was last ordered.

Please replace old versions with the ones enclosed as these versions supersede all previous versions as due to the new system version numbering will be different than the previous documents.

Please let us know if you have a <u>specific email address for the person who should first receive</u> these documents in your organization, or ideally a generic email address for the department. Please email us at the following address, please also quote your customer number.

SDS.deliveryuk@bostik.com

Yours sincerely

Bostik Limited

Safety Data Sheet for Bostik Product(s)

This page intentionally left blank	Product Name	Revision Date	Revision Number
30803655	BOSTIK SUPER GLUE EASY FLOW	08/07/2020 07:45:29	1.01



This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 14-Aug-2018

Revision Date: 07-Aug-2020 Revision Number 1.01

Revision Number 1.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name BOSTIK SUPER GLUE EASY FLOW

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use This product is a cyanoacrylate-based adhesive.

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom +44 (1785) 272650

Ireland +353 (1) 8624900 (Monday- Friday 9am-5pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2. Label Elements

Contains: ethyl-2-cyanoacrylate



Signal word WARNING

Hazard statements

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Supercedes Date: 14-Aug-2018 Revision Number 1.01

EU Specific Hazard Statements

BOSTIK SUPER GLUE EASY FLOW

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves and eye/face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 - Store locked up.

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other Hazards

Will bond to skin

Polymerises with evolution of heat

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
ethyl-2-cyanoacrylate	230-391-5	7085-85-0	80 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	01-2119527766- 29-XXXX
1,4-Benzenediol	204-617-8	123-31-9	0.01 - <0.1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (M Factor Acute = 10) (M Factor Chronic = 1)		01-2119524016- 51-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

Supercedes Date: 14-Aug-2018 Revision Number 1.01

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

BOSTIK SUPER GLUE EASY FLOW

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Consult an

Revision Date: 07-Aug-2020

ophthalmologist. Do not rub affected area.

Skin contact If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred,

release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Wash off immediately with soap and plenty of water for at least 15 minutes. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area.

Do not remove clothing if adhering to skin. Polymerises with evolution of heat.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Clean mouth with water. Drink 1 or 2 glasses of water. Call a doctor or poison control

centre immediately.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Full water jet. Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

Bonds skin and eyes in seconds.

chemical

Hazardous combustion products Nitrogen oxides (NOx).

5.3. Advice for firefighters

Supercedes Date: 14-Aug-2018 **Revision Number** 1.01

Special protective equipment for

BOSTIK SUPER GLUE EASY FLOW

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

Revision Date: 07-Aug-2020

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate Personal precautions

personnel to safe areas. Avoid contact with skin, eyes or clothing. See section 8 for more

information.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Do not use cloths for mopping up. Flood with water to complete polymerization and **Methods for containment**

scrape off floor.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

> with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear

suitable respiratory equipment.

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using General hygiene considerations

this product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific Use(s)

Adhesive. This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Supercedes Date: 14-Aug-2018 **Revision Number** 1.01

Exposure Limits

BOSTIK SUPER GLUE EASY FLOW

Chemical name	European Union	Ireland	United Kingdom
ethyl-2-cyanoacrylate	-	TWA: 0.2 ppm	STEL: 0.3 ppm
7085-85-0		STEL: 1 ppm	STEL: 1.5 mg/m ³

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

exhausted directly at the point of origin.

Personal Protective Equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the

breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be replaced

Polymerisation can occur

regularly and if there is any sign of damage to the glove material.

Skin and body protection Wear suitable protective clothing. None under normal use conditions. Respiratory protection

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Liquid **Appearance** Colour Colourless Odour Characteristic

No information available **Odour threshold**

Remarks • Method **Property** Values

рΗ No data available Melting point / freezing point No data available > 149 °C Boiling point / boiling range > 80 °C Flash point **Evaporation rate** No data available Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressure No data available Vapour density No data available Relative density No data available Water solubility Reacts with water

No data available

Solubility(ies) **Partition coefficient** No data available No data available **Autoignition temperature**

Decomposition temperature

Kinematic viscosity No data available Dynamic viscosity No data available

Supercedes Date: 14-Aug-2018 Revision Number 1.01

Explosive propertiesNo data available **Oxidising properties**No data available

9.2. Other information

BOSTIK SUPER GLUE EASY FLOW

Solid content (%) No information available

VOC Content (%) < 20 g/L **Density** 1.05 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Protect from moisture.

10.5. Incompatible materials

Incompatible materials Alcohols. Alkali. Amines. Water.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information .

Inhalation May cause irritation of respiratory tract. Specific test data for the substance or mixture is

not available.

Eye contact Bonds skin and eyes in seconds. Irritating to eyes. Causes serious eye irritation.

Skin contact Bonds skin and eyes in seconds. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

BOSTIK SUPER GLUE EASY FLOW Supercedes Date: 14-Aug-2018

Numerical measures of toxicity

Acute toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
7085-85-0	401	cuniculus) OECD 402	
1,4-Benzenediol	=298 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus	
123-31-9		cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
1,4-Benzenediol	Muta. 2
123-31-9	

Carcinogenicity Based on available data, the classification criteria are not met.

Juit	omogementy Bassa on available	Bacca on available data, the diagonication official are not met.			
	Chemical name	European Union			
	1,4-Benzenediol	Carc. 2			
	123-31-9				

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Revision Date: 07-Aug-2020

Revision Number 1.01

Supercedes Date: 14-Aug-2018 Revision Number 1.01

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
1,4-Benzenediol 123-31-9	EC50: =0.335mg/L (72h, Pseudokirchneri ella subcapitata) EC50: =13.5mg/L (120h, Desmodesmus subspicatus)	,	EC50 = 0.038 mg/L 15 min EC50 = 0.0382 mg/L 30 min EC50 = 0.042 mg/L 5 min EC50 = 23.75 mg/L 60 min	EC50: =0.29mg/L (48h, Daphnia magna)		1

12.2. Persistence and degradability

BOSTIK SUPER GLUE EASY FLOW

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
1,4-Benzenediol	0.5	40
123-31-9		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or PBT and vPvB assessment vPvB.

Chemical name	PBT and vPvB assessment
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB
7085-85-0	PBT assessment does not apply
1,4-Benzenediol	The substance is not PBT / vPvB
123-31-9	PBT assessment does not apply

12.6. Other adverse effects

Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

Waste codes / waste designations 15 01 10*: Packaging containing residues of or contaminated by dangerous substances.

Supercedes Date: 14-Aug-2018 **Revision Number** 1.01

according to EWC / AVV 16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in

pressure containers other than those mentioned in 16 05 04. Waste codes should be

Revision Date: 07-Aug-2020

assigned by the user based on the application for which the product was used.

European Waste Catalogue 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

BOSTIK SUPER GLUE EASY FLOW

Land transport (ADR/RID)

14.1 UN number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

IMDG

14.1 UN number Not regulated 14.2 Proper Shipping Name Not regulated Not regulated 14.3 Transport hazard class(es) 14.4 Packing group Not regulated 14.5 Marine pollutant Νp

14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

BOSTIK SUPER GLUE EASY FLOW

Supercedes Date: 14-Aug-2018 Revision Number 1.01

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H351 - Suspected of causing cancer

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Aug-2020

Indication of changes

Supercedes Date: 14-Aug-2018 Revision Number 1.01

Revision note Not applicable.

BOSTIK SUPER GLUE EASY FLOW

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet