



CUT RESISTANT, LIGHTWEIGHT PU COATED GLOVE

Extremely flexible and dexterous, yet provides outstanding cut resistance for protection in high cut risk applications. PU coating protects the hand from abrasion and grease while delivering effective long lasting grip.

FEATURES

- › Cut resistant: Level E (EN 388:2016)
- › Flexible and comfortable while offering great dexterity
- › Steel fibre within the liner provides high level of cut protection for use in high cut risk environments
- › PU coating gives exceptional abrasion resistance while protecting the hand from light oil and grease
- › 13gg liner provides a 'second skin' fit for good handling of small parts
- › Reinforced thumb crotch enhances durability
- › Designed for easy movement and continuous wear
- › Breathable back of hand to reduce perspiration
- › Seamless knit prevents irritation
- › Elasticated wrist provides a secure fit



SUITABLE FOR


Typical Industries

- Automotive
- Construction
- Logistics
- Maintenance
- Manufacturing
- Metal Industry

Suitable Applications

- Assembling
- Handling Sharp and Greasy Parts
- Machining
- Bodywork
- Precision Mechanics
- Metal Stamping
- Glass Handling

CERTIFICATION



See overleaf for explanation



SKYTEC® | SS6

SUITABLE FOR

MATERIALS	LINER:	13gg HPPE, nylon, steel fibre
	COATING:	Polyurethane (PU)
COLOUR	Grey/Grey	
LENGTH (mm)	250 (Size Dependent)	
CUFF STYLE	Knitted	

ORDERING DETAILS

SIZE	CODE	PACKAGING
7/S	SKY00101	10 pairs per bag
8/M	SKY00102	120 pairs per case
9/L	SKY00103	
10/XL	SKY00104	
11/XXL	SKY00105	

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use in cases of chemical, electrical or thermal risks
- These gloves resist cuts but are not cut proof. Do not subject to high speed or serrated blades.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

CERTIFICATION LEGENDS



MECHANICAL
HAZARDS
EN 388: 2016

PERFORMANCE LEVELS*



* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963



Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | SKY-DATA-SS6-0719_1