



# Product Change Notification

Current Date: 16-Dec-2019

## TE Connectivity

**Product Change Notification:** E-19-018637

**PCN Date:** 11-DEC-19

**Customer:** TTI Inc(0000139702)

**Location:** WORLDWIDE

**Agreement:** Agreement Unknown

TE would like to inform you of the following change(s) to the listed TE Connectivity Product. In case of any further questions about this change(s), please contact your TE Connectivity Sales Engineer. Affected part, drawing and/or specification numbers are listed on the attached sheet(s).

**General Product Description:**

PDL REC AND TAB TERMINALS

**Description of Changes**

The drawings for the listed part numbers have been modified for clarification; deleting "reference drawings" from customer drawing" . No change to parts. Details pls. find the enclosed instruction file.

**Other attachments:**

[INTRODUCTION](#)

**Reason for Changes:**

Document Clarification. CUSTOMER REQUEST

**Estimated Dates:**

**Last Order Date** (Obsolete Parts Only):

**First Date To Ship** (Changed Parts Only):

<b>Last Ship Date</b> (Obsolete Parts Only):	<b>Last Date for Mixed Shipments:</b> (Changed Parts Only):
	No Mixed Shipments

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

**Note: This PCN contains only document changes, these changes do not affect the form, fit or function of the parts referenced.**

**Customer Drawing(s) Being Modified:**

Drawing Number	Related Part Number	Customer Part Number	Current Revision	New Revision
<a href="#">177914</a>	177914-1	TYC177914-1	C1	
<a href="#">177915</a>	177915-1, 177915-2		C2	
<a href="#">177916</a>	177916-1		A1	
<a href="#">177917</a>	177917-1		C4	

**Customer:** TTI, Inc. ( 1305175 )

**Location:** Maisach-gernlinden

**Agreement Number:** Agreement Unknown

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

**Customer Drawing(s) Being Modified:**

Drawing Number	Related Part Number	Customer Part Number	Current Revision	New Revision
<a href="#">177914</a>	177914-1	TYC177914-1	C1	

**Customer:** TTI Inc ( 3164508 )

**Location:** Fort Worth

**Agreement Number:** Agreement Unknown

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

**Customer Drawing(s) Being Modified:**

<b>Drawing Number</b>	<b>Related Part Number</b>	<b>Customer Part Number</b>	<b>Current Revision</b>	<b>New Revision</b>
<a href="#">177914</a>	177914-1		C1	
<a href="#">177915</a>	177915-1		C2	
<a href="#">177916</a>	177916-1		A1	
<a href="#">177917</a>	177917-1		C4	

**Customer:** TTI Inc ( 1281288 )

**Location:** Fort Worth

**Agreement Number:** TTI002

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

**Customer Drawing(s) Being Modified:**

<b>Drawing Number</b>	<b>Related Part Number</b>	<b>Customer Part Number</b>	<b>Current Revision</b>	<b>New Revision</b>
<a href="#">177915</a>	177915-1		C2	
<a href="#">177916</a>	177916-1		A1	
<a href="#">177917</a>	177917-1		C4	

**Customer:** Shanghai TTI EElectronics Co Ltd ( 1405773 )

**Location:** Shanghai

**Agreement Number:** Agreement Unknown

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.

**Customer Drawing(s) Being Modified:**

<b>Drawing Number</b>	<b>Related Part Number</b>	<b>Customer Part Number</b>	<b>Current Revision</b>	<b>New Revision</b>
<a href="#">177915</a>	177915-2		C2	
<a href="#">177916</a>	177916-1		A1	

<a href="#">177917</a>	177917-1		C4	
------------------------	----------	--	----	--

**Customer:** TTI Inc ( 168830 )

**Location:** Fort Worth

**Agreement Number:** Agreement Unknown

The documents listed below are being modified. Related parts that are not explicitly listed on this PCN are not being modified or discontinued as per the PCN. The Last Order Date, Last Ship Date, First Date to Ship Changed Parts and last date for Mixed Shipments apply only to parts explicitly listed on this PCN.


**Customer Drawing(s) Being Modified:**

<b>Drawing Number</b>	<b>Related Part Number</b>	<b>Customer Part Number</b>	<b>Current Revision</b>	<b>New Revision</b>
<a href="#">177915</a>	177915-1		C2	
<a href="#">177917</a>	177917-1		C4	



# INTRODUCTION

29-11-2019




EVERY CONNECTION COUNTS




# 177914-C-DRAWING

BEFORE

 TE Connectivity					
一般公差 (GENERAL TOLERANCE)		適合電線断面積 (WIRE RANGE)		被覆外径 (INSULATION DIA.)	
10以下, ±0.2 10を越え 30以下, ±0.25 30を越え 100以下, ±0.3 角 度, ±3°		0.14 ~ 0.34 mm <sup>2</sup> (AWG#26-#22)		1.3 ~ 2.0 mmφ	
		材料 (MATERIAL)		仕上 (FINISH)	
		錫めつき済銅合金 PRE-TIN, COPPER ALLOY		—//—	
尺度 (SCALE)	LOC	番号 (No.)	REV.	SHEET	
—//—	A	J	C1	1 OF 1	
名称 (NAME) アンブ パワー ダブルロック コネクタ リセ コンタクト AMP POWER DOUBLE LOCK CONN. REC. CONT.					
(CUSTOMER DRAWING) 参 考 <input checked="" type="checkbox"/> 面					


AFTER


 TE Connectivity					
一般公差 (GENERAL TOLERANCE)		適合電線断面積 (WIRE RANGE)		被覆外径 (INSULATION DIA.)	
10以下, ±0.2 10を越え 30以下, ±0.25 30を越え 100以下, ±0.3 角 度, ±3°		0.14 ~ 0.34 mm <sup>2</sup> (AWG#26-#22)		1.3 ~ 2.0 mmφ	
		材料 (MATERIAL)		仕上 (FINISH)	
		錫めつき済銅合金 PRE-TIN, COPPER ALLOY		—//—	
尺度 (SCALE)	LOC	番号 (No.)	REV.	SHEET	
—//—	A	J	C2	1 OF 1	
名称 (NAME) アンブ パワー ダブルロック コネクタ リセ コンタクト AMP POWER DOUBLE LOCK CONN. REC. CONT.					
(CUSTOMER DRAWING)					

# 177915-C-DRAWING

BEFORE


AFTER

		 TE Connectivity	
一般公差 (GENERAL TOLERANCE) 10以下: ±0.2 10を超え 30以下: ±0.25 30を超え 100以下: ±0.3 角度: ±3°		絶縁電線断面径 (WIRE RANGE) 0.51~ 1.38 mm <sup>2</sup> (AWG #20-#16)	被覆外径 (INSULATION DIA.) 1.8 - 3.1 mmφ
		材料 (MATERIAL) 錫めつき銅合金 PRE-TIN, COPPER ALLOY	仕上 (FINISH) ——
尺度 (SCALE) ——	LOC A J	番号 (No.) C-177915	REV. SHEET C2 1 OF 1
名称 (NAME) アンプ パワー ダブルロック コネクタ リセ コンタクト AMP POWER DOUBLE LOCK CONN.REC.CONT.			
(CUSTOMER DRAWING) 参考 <input checked="" type="checkbox"/> 面			


		 TE Connectivity	
一般公差 (GENERAL TOLERANCE) 10以下: ±0.2 10を超え 30以下: ±0.25 30を超え 100以下: ±0.3 角度: ±3°		絶縁電線断面径 (WIRE RANGE) 0.51~ 1.38 mm <sup>2</sup> (AWG #20-#16)	被覆外径 (INSULATION DIA.) 1.8 - 3.1 mmφ
		材料 (MATERIAL) 錫めつき銅合金 PRE-TIN, COPPER ALLOY	仕上 (FINISH) ——
尺度 (SCALE) ——	LOC A J	番号 (No.) C-177915	REV. SHEET C3 1 OF 1
名称 (NAME) アンプ パワー ダブルロック コネクタ リセ コンタクト AMP POWER DOUBLE LOCK CONN.REC.CONT.			
(CUSTOMER DRAWING)			

# 177916-C-DRAWING

BEFORE

		一般公差 (GENERAL TOLERANCE) 10mm以下: ±0.2 10mmを超え30mm以下: ±0.25 30mmを超え100mm以下: ±0.3 角度: ±3°	複合電線断面積 (WIRE RANGE) 0.14 - 0.34 mm <sup>2</sup> (AWG#26-#22)	被覆外径 (INSULATION DIA.) 1.3 - 2.0 mmφ
		材料 (MATERIAL) 錫めっき済銅合金 PRE-TIN, COPPER ALLOY	仕上 (FINISH) —H—	
尺度 (SCALE) —H—	LOC A J	番号 (No.) C-177916	REV. A1	SHEET 1 OF 1
名称 (NAME) アンプ パワー ダブルロック コネクタ タブ コンタクト AMP POWER DOUBLE LOCK CONN. TAB CONT.				
(CUSTOMER DRAWING) 参 考 <input checked="" type="checkbox"/> 面				

AFTER


		一般公差 (GENERAL TOLERANCE) 10mm以下: ±0.2 10mmを超え30mm以下: ±0.25 30mmを超え100mm以下: ±0.3 角度: ±3°	複合電線断面積 (WIRE RANGE) 0.14 - 0.34 mm <sup>2</sup> (AWG#26-#22)	被覆外径 (INSULATION DIA.) 1.3 - 2.0 mmφ
		材料 (MATERIAL) 錫めっき済銅合金 PRE-TIN, COPPER ALLOY	仕上 (FINISH) —H—	
尺度 (SCALE) —H—	LOC A J	番号 (No.) C-177916	REV. A2	SHEET 1 OF 1
名称 (NAME) アンプ パワー ダブルロック コネクタ タブ コンタクト AMP POWER DOUBLE LOCK CONN. TAB CONT.				
(CUSTOMER DRAWING)				




# 177917-C-DRAWING

BEFORE

AFTER

 TE Connectivity					
一般公差 (GENERAL TOLERANCE) 10以下: ±0.2 10を超え30以下: ±0.25 30を超え100以下: ±0.3 角 度: ±3°		総合電線断面積 (WIRE RANGE) 0.51 - 1.38 mm <sup>2</sup> (AWG#20-#16)		被覆外径 (INSULATION DIA.) 1.8 ~ 3.1 mmφ	
材料 (MATERIAL) 錫めつき銅合金 PRE-TIN, COPPER ALLOY			仕上 (FINISH) —H—		
尺 寸 (SCALE)	LOC	番 号 (No.)	REV.	SHEET	
≡	A J	C-177917	C4	1 OF 1	
名称 (NAME) アンブ パワー ダブルロック コネクタ タブ コンタクト AMP POWER DOUBLE LOCK CONN. TAB CONT.					
(CUSTOMER DRAWING) 参 考 ☒ 面					

 TE Connectivity					
一般公差 (GENERAL TOLERANCE) 10以下: ±0.2 10を超え30以下: ±0.25 30を超え100以下: ±0.3 角 度: ±3°		総合電線断面積 (WIRE RANGE) 0.51 - 1.38 mm <sup>2</sup> (AWG#20-#16)		被覆外径 (INSULATION DIA.) 1.8 ~ 3.1 mmφ	
材料 (MATERIAL) 錫めつき銅合金 PRE-TIN, COPPER ALLOY			仕上 (FINISH) —H—		
尺 寸 (SCALE)	LOC	番 号 (No.)	REV.	SHEET	
≡	A J	C-177917	C5	1 OF 1	
名称 (NAME) アンブ パワー ダブルロック コネクタ タブ コンタクト AMP POWER DOUBLE LOCK CONN. TAB CONT.					
(CUSTOMER DRAWING)					

---

# THANKS