



Figure similar

SURGE SUPPRESSOR VARISTOR FOR STICKING  
ON AC 127 TO 240V/DC 150 TO 250V FOR  
CONTACTORS SIZE 3 TO 12




General technical data:

Product designation		surge suppressor
Design of the surge suppressor		with varistor

Control circuit/ Control:

Type of voltage of the control supply voltage		AC/DC
Control supply voltage frequency		
• 1 Rated value	Hz	50
• 2 Rated value	Hz	60
Control supply voltage 1		
• for DC		
— Initial rated value	V	150
— Final rated value	V	250
• with AC		
— at 50 Hz Initial rated value	V	127
— at 50 Hz Final rated value	V	240
— at 60 Hz Final rated value	V	240
— at 60 Hz Initial rated value	V	127

Certificates/ approvals:

General Product Approval	Test Certificates	other
 CSA		 UR <a href="#">Special Test Certificate</a> <a href="#">other</a> <a href="#">Confirmation</a>

other
<a href="#">Declaration of Conformity</a>

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**  
<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**  
<http://www.siemens.com/industrymall>

**Cax online generator**  
<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3TX74623J>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**  
<https://support.industry.siemens.com/cs/ww/en/ps/3TX74623J>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**  
[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3TX74623J&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3TX74623J&lang=en)

last modified: 16.03.2015