

FOODLUBE MULTIPASTE SPRAY

Page: 1

Compilation date: 02/10/2014

Revision No: 4

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: FOODLUBE MULTIPASTE SPRAY

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Light lubricant and anti-stick agent.

# 1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House Swillington Leeds

West Yorkshire LS26 8BS ENGLAND

**Tel:** +44 (0) 113 232 2700 **Fax:** +44 (0) 113 232 2740

Email: <a href="mailto:customer-service@rocol.com">customer-service@rocol.com</a>

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Irrit. 2: H315; Aquatic Chronic 3: H412; Flam. Aerosol 1: H222; -: H229

Classification under CHIP: F+: R12; -: R52/53; -: R67

Most important adverse effects: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin

irritation. Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

Label elements under CLP:

Hazard statements: H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark





# FOODLUBE MULTIPASTE SPRAY

Page: 2

Precautionary statements: P410+412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

P251: Pressurized container: Do not pierce or burn, even after use.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211: Do not spray on an open flame or other ignition source.

P285: In case of inadequate ventilation wear respiratory protection.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P332+313: If skin irritation occurs: Get medical advice/attention.

P264: Wash thoroughly after handling. P273: Avoid release to the environment.

# 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

### 3.2. Mixtures

# **Hazardous ingredients:**

HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) - REACH registered number(s): EXEMPT

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
270-704-2	68476-85-7	Substance with a Community workplace exposure limit.	Flam. Gas 1: H220; Press. Gas: H280	50-70%	
HYDROCARBONS C7-C9, ISOALKANES - REACH registered number(s): 01-2119471305-42-0000					
921-728-3	-	-	Flam. Liq. 2: H225; Skin Irrit. 2: H315;	10-30%	

921-728-3	-	-	Flam. Liq. 2: H225; Skin Irrit. 2: H315;	10-30%
			Aquatic Chronic 2: H411; STOT SE 3:	
			H336; Asp. Tox. 1: H304	

# **CALCIUM CARBONATE**

2151-79-6	1317-65-3	Substance with a Community	-	<2%
		workplace exposure limit.		

#### TITANIUM DIOXIDE

-	13463-67-7	Substance with a Community	-	<2%
		workplace exposure limit.		

### PHOSPHATE ALKYL AMINE DERIVATIVE

279-632-6	80939-62-4	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319;	<2%
			Aquatic Chronic 2: H411	

# Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

# FOODLUBE MULTIPASTE SPRAY

Page: 3

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

### 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Do not use water. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Use

water spray to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic

fumes of carbon dioxide / carbon monoxide.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry

earth or sand. Transfer to a closable, labelled salvage container for disposal by an

appropriate method.

# 6.4. Reference to other sections

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Smoking is forbidden.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep away from

direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

# FOODLUBE MULTIPASTE SPRAY

Page: 4

Suitable packaging: Must only be kept in original packaging.

# 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

# **Hazardous ingredients:**

# **HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)**

# Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1000ppm 1750mg/m3	1250ppm 2180mg/m3	-	-

### **HYDROCARBONS C7-C9, ISOALKANES**

UK	1400 mg/m3 RCP TWA	_	_	_
010	1 TOO ING/IND INDI I WAN			

### **CALCIUM CARBONATE**

UK	-	-	4 mg/m3	-

### **TITANIUM DIOXIDE**

UK	-	-	4mg/m3	-
----	---	---	--------	---

### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not normally required.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Aerosol
Colour: White

Odour: Characteristic odour

Evaporation rate: Fast

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Not miscible

Viscosity: Non-viscous

Boiling point/range°C: <0 Melting point/range°C: <0 Flammability limits %: lower: 1.8 upper: 9.4

Flash point°C: -100 [cont...]

# FOODLUBE MULTIPASTE SPRAY

Page: 5

Autoflammability°C: >200

Vapour pressure: > 2000 Relative density: 0.6

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**Section 11: Toxicological information** 

11.1. Information on toxicological effects

**Hazardous ingredients:** 

**CALCIUM CARBONATE** 

I	I			
l l	I			
D A T	1.050	0000	l /1	
DA	111150	>2000	l ma/ka	

Toxicity values: No data available.

Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

# FOODLUBE MULTIPASTE SPRAY

Page: 6

### **Hazardous ingredients:**

#### **HYDROCARBONS C7-C9, ISOALKANES**

Daphnia magna	48H EC50	2.4	mg/l
Pseudokirchneriella	72H ErC50	6.3	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H ErC50	18.4	mg/l

# **CALCIUM CARBONATE**

ALGAE	72H ErC50	>100	mg/l
DAPHNIA	48H EC50	>100	mg/l
FISH	96H LC50	>100	g/l

# 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Highly volatile. Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

### 12.6. Other adverse effects

# Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

# 14.1. UN number

**UN number:** UN1950

### 14.2. UN proper shipping name

Shipping name: AEROSOLS

# 14.3. Transport hazard class(es)

Transport class: 2

# 14.4. Packing group

# FOODLUBE MULTIPASTE SPRAY

Page: 7

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

#### Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

#### Section 16: Other information

# Other information

Other information: Contains only FDA listed ingredients. NSF H1 registered.

EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on

the approximation of the laws of Member States relating to aerosol dispensers.

This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Compiled in accordance with REACH.

Phrases used in s.2 and s.3: H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated

H280: Contains gas under pressure; may explode if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

R12: Extremely flammable.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

**Legend to abbreviations:** PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

# FOODLUBE MULTIPASTE SPRAY

Page: 8

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.