

SAFETY DATA SHEET

REACH regulation (EC) n° 1907/2006 - n° 2015/830

ANABAC PEACH

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: PECHE RS26905 PARFUM

Product code: 14631.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Fragrance compounds

1.3 Details of the supplier of the safety data sheet

INTERSCIENCE SARL

30, chemin du bois des Arpents 78860 Saint Nom la Bretèche France

Tel: +33 01 34 62 62 61

info@interscience.com

www.interscience.com

1.4 Emergency telephone number

+33140054848

Please refer to section 16 for a full list of emergency phone numbers.

SECTION 2. HAZARDS IDENTIFICATION

2.1 - Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2 Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Product identifiers:

EC 201-134-4	LINALOOL
EC 203-093-8	METHYLCINNAMATE
EC 204-872-5	B-PINENE
EC 268-264-1	2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE (SEE FOOTNOTE 3) X
EC 201-291-9	ALPHA-PINENE X
EC 245-842-1	(E)-BETA-1-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE (TRANS-BETA-DAMASCONE)
EC 245-833-2	1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE (BETA-DAMASCENONE)

Hazard statements:

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash ... thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P302 + P352	IF ON SKIN: Wash with plenty of water/...
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see ... on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal:

P501

Dispose of contents/container to ...

2.3 Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH:
<http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 104-67-6 EC: 203-225-4 GAMMA-UNDECALACTONE	Aquatic Chronic 3, H412	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	10 \leq x % < 25
CAS: 78-70-6 EC: 201-134-4 REACH: 01-2119474016-42-0000 LINALOOL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		10 \leq x % < 25
CAS: 88-41-5 EC: 201-828-7 REACH: 01-2119970713-33-0008 2-TERT-BUTYLCYCLOHEXYL ACETATE	GHS09 Wng Aquatic Chronic 2, H411		2.5 \leq x % < 10
CAS: 60-12-8 EC: 200-456-2 REACH: 01-21199-63921-31 PHENYLETHYLALCOHOL	GHS07 Wng Acute Tox. 4, H302 Eye Irrit. 2, H319		0 \leq x % < 2.5
CAS: 142-19-8 EC: 205-527-1 REACH: 01-2119488961-23 ALLYL HEPTYLATE (ALLYL HEPTANOATE)	GHS06, GHS09 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1		0 \leq x % < 2.5
CAS: 103-26-4 EC: 203-093-8 METHYLCINNAMATE	GHS07 Wng Skin Sens. 1B, H317		0 \leq x % < 2.5

3 / 15

SAFETY DATA SHEET - REACH REGULATION (EC) N°1907 / 2006 - N°2015/830/REF INTERSCIENCE ANABAC PEACH 320 300 - CREATION DATE: 26/01/2016 N°: V3 / REVISION DATE: 27/01/2020 - EDITION DATE: 29/01/2020

interscience in the world

PARIS

Phone: +33 (0)1 34 62 62 61
Email: info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770
Email: info@interscience.com

BOSTON

Phone: +1 781 937 0007
Email: sales.usa@intersciencelab.com

SHANGHAI

电话: +86 (0)21-64739390
邮址: sales.china@interscience.com

SINGAPORE

Phone: +65 6977 7232
Email: sales.asia@interscience.com

<p>CAS: 127-91-3 EC: 204-872-5 REACH: 01-2119519230-54-0000</p> <p>B-PINENE</p>	<p>GHS08, GHS02, GHS07, GHS09</p> <p>Dgr</p> <p>Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1</p>		<p>0 <= x % < 2.5</p>
<p>CAS: 68039-49-6 EC: 268-264-1 REACH: 01-2119982384-28 2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBO XALDEHYDE (SEE FOOTNOTE 3) X</p>	<p>GHS07, GHS09</p> <p>Wng</p> <p>Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411</p>		<p>0 <= x % < 2.5</p>
<p>CAS: 80-56-8 EC: 201-291-9 REACH: 01-2119519223-49-XXXX ALPHA-PINENE X</p>	<p>GHS02, GHS07, GHS08, GHS09</p> <p>Dgr</p> <p>Flam. Liq. 3, H226 Acute Tox. 4, H302 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1</p>		<p>0 <= x % < 2.5</p>
<p>CAS: 23726-91-2 EC: 245-842-1</p> <p>(E)-BETA-1-(2,6,6-TRIMETHYL-1-CYCLOHE XEN-1-YL)-2-BUTEN-1-ONE (TRANS-BETA-DAMASCONE)</p>	<p>GHS07, GHS09</p> <p>Wng</p> <p>Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411</p>		<p>0 <= x % < 2.5</p>
<p>CAS: 23696-85-7 EC: 245-833-2 REACH: 01-2120105798-49 1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN -1-YL)-2-BUTEN-1-ONE (BETA-DAMASCENONE)</p>	<p>GHS07, GHS09</p> <p>Wng</p> <p>Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Chronic 2, H411</p>		<p>0 <= x % < 2.5</p>

(Full text of H-phrases: see section 16)

SECTION 4. FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1 Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5. FIREFIGHTING MEASURES

Non-flammable.

5.1 Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder

- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2 Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3 Advice for firefighters

No data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2 Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3 Methods and materials for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4 Reference to other sections

No data available.

SECTION 7. HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1 Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.
Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.
Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.
Observe precautions stated on label and also industrial safety regulations.
Avoid skin and eye contact with this mixture.
Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2 Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.
The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3 Specific end use(s)

No data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LINALOOL (CAS: 78-70-6)

Final use:

Workers

Exposure method	: Dermal contact.
Potential health effects	: Short term systemic effects.
DNEL	: 5 mg/kg body weight/day
Exposure method	: Dermal contact.
Potential health effects	: Short term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method	: Dermal contact.
Potential health effects	: Long term systemic effects.
DNEL	: 2.5 mg/kg body weight/day

Exposure method	: Dermal contact.
Potential health effects	: Long term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method:	: Dermal contact.
Potential health effects	: Short term systemic effects.
DNEL	: 2.5 mg/kg body weight/day
Exposure method	: Inhalation.
Potential health effects	: Short term systemic effects.
DNEL	: 16.5 mg of substance/m ³
Exposure method	: Inhalation.
Potential health effects	: Long term systemic effects.
DNEL	: 2.8 mg of substance/m ³

Final use:

Exposure method	: Ingestion.
Potential health effects	: Short term systemic effects.
DNEL	: 1.2 mg/kg body weight/day
Exposure method	: Ingestion.
Potential health effects	: Long term systemic effects.
DNEL	: 0.2 mg/kg body weight/day
Exposure method	: Dermal contact.
Potential health effects	: Short term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method	: Dermal contact.
Potential health effects	: Long term systemic effects.
DNEL	: 1.25 mg/kg body weight/day
Exposure method	: Dermal contact.
Potential health effects	: Long term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method	: Inhalation.
Potential health effects	: Short term systemic effects.
DNEL	: 4.1 mg of substance/m ³
Exposure method	: Inhalation.
Potential health effects	: Long term systemic effects.
DNEL	: 0.7 mg of substance/m ³

Consumers

Exposure method	: Ingestion.
Potential health effects	: Short term systemic effects.
DNEL	: 1.2 mg/kg body weight/day
Exposure method	: Ingestion.
Potential health effects	: Long term systemic effects.
DNEL	: 0.2 mg/kg body weight/day
Exposure method	: Dermal contact.
Potential health effects	: Short term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method	: Dermal contact.
Potential health effects	: Long term systemic effects.
DNEL	: 1.25 mg/kg body weight/day
Exposure method	: Dermal contact.
Potential health effects	: Long term local effects.
DNEL	: 15 mg of substance/cm ²
Exposure method	: Inhalation.
Potential health effects	: Short term systemic effects.
DNEL	: 4.1 mg of substance/m ³
Exposure method	: Inhalation.
Potential health effects	: Long term systemic effects.
DNEL	: 0.7 mg of substance/m ³

Predicted no effect concentration (PNEC):

LINALOOL (CAS: 78-70-6)	
Environmental compartment	: Soil.

PNEC	: 0.327 mg/kg
Environmental compartment	: Fresh water.
PNEC	: 0.2 mg/l
Environmental compartment	: Sea water.
PNEC	: 0.02 mg/l
Environmental compartment	: Intermittent waste water.
PNEC	: 2 mg/l
Environmental compartment	: Fresh water sediment.
PNEC	: 2.22 mg/kg
Environmental compartment	: Marine sediment.
PNEC	: 0.222

8.2 Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes.

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- **Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3)

in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

General information:

Physical state : Fluid liquid.

Important health, safety and environmental information

pH : Not relevant.

Boiling point/boiling range : Not specified.

Flash Point : 87.00 °C.

Vapour pressure (50°C) : Not relevant.

Density : Not stated.

Water solubility : Insoluble.

Viscosity : $\nu < 7 \text{ mm}^2/\text{s}$ (40°C)

Melting point/melting range : Not specified.

Self-ignition temperature : Not specified.

Decomposition point/decomposition range : Not specified.

9.2 Other information

No data available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10 / 15

SAFETY DATA SHEET - REACH REGULATION (EC) N°1907 / 2006 - N°2015/830/REF INTERSCIENCE ANABAC PEACH 320 300 - CREATION DATE: 26/01/2016 N°: V3 / REVISION DATE: 27/01/2020 - EDITION DATE: 29/01/2020

Stockage: 1 year secure from air and light and heat

10.3 Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4 Conditions to avoid

Stockage: 6 months secure from light and air, in packing of origin.

Stockage: 1 year secure from light and air, in packing of origin.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects

on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE (BETA-DAMASCENONE) (CAS: 23696-85-7)

Dermal route : LD50 = 2900 mg/kg

(E)-BETA-1-(2,6,6-TRIMETHYL-1-CYCLOHEXEN-1-YL)-2-BUTEN-1-ONE (TRANS-BETA-DAMASCONE) (CAS: 23726-91-2)

Oral route : LD50 = 2920 mg/kg

2,4-DIMETHYL-3-CYCLOHEXEN-1-CARBOXALDEHYDE (SEE FOOTNOTE 3) X (CAS: 68039-49-6)

Oral route : LD50 = 3900 mg/kg

METHYLCINNAMATE (CAS: 103-26-4)

Oral route : LD50 = 2610 mg/kg

ALLYL HEPTYLATE (ALLYL HEPTANOATE) (CAS: 142-19-8)

Oral route : LD50 = 218 mg/kg

Dermal route : LD50 = 810 mg/kg

PHENYLETHYLALCOHOL (CAS: 60-12-8)

Oral route : LD50 = 1610 mg/kg

2-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 88-41-5)

Oral route : LD50 = 4600 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route : LD50 = 2790 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12. ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1 Toxicity

12.1.2 Mixtures

No aquatic toxicity data available for the mixture.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1 Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14. TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1 UN number

N/A

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for user

N/A

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)

- **Container information** : No data available.

- **Particular provisions** : No data available.

- **Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):**

NFPA 704, Labelling: Health=2 Inflammability=2 Instability/Reactivity=1 Specific Risk=none



15.2 Chemical Safety Assessment

No data available.

SECTION 16. OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefährdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.

INTERSCIENCE reserves the right to change or improve the specifications of its products without notice. The information in this document is subject to change, please visit the website (www.interscience.com) for updates and additional information. RCS 950 356 220 Versailles. INTERSCIENCE SARL F78860

PARIS

Phone: +33 (0)1 34 62 62 61
Email: info@interscience.com

FRANKFURT

Phone: +49 611 7238 7770
Email: info@interscience.com

BOSTON

Phone: +1 781 937 0007
Email: sales.usa@intersciencelab.com

SHANGHAI

电话: +86 (0)21-64739390
邮址: sales.china@interscience.com

SINGAPORE

Phone: +65 6977 7232
Email: sales.asia@interscience.com