

JBC P405 Pedal



This foot switch makes the tool enter **Hibernation** mode, causing no thermal stress when the component is placed on the PCB.

Ideal for working with tweezers.



REFERENCE

P-405

PRODUCT COMPOSITION

1 P405 Pedal

SPECIFICATIONS

Cable length 1.9 m

WEIGHT AND DIMENSIONS

232 gr (0.51 lb)

255 gr (0.56 lb)

155 x 85 x 55 mm

Copyright © 2024 JBC Soldering S.L. | [Legal Notice](#) | [Privacy Policy](#) | [Terms and Conditions](#) | [Cookie policy](#) | [Internal Communication](#) | [RSS Feed](#) | [JBC Store](#) | [Contact Us](#)

CONNECTABLES

PreHeater



PHSE

Preheater for PCBs up to 13 x 13 cm / 5 x 5"



PHBE

Preheater for PCBs up to 36 x 28 cm / 14 x 11"



PHSEK

Preheater Set for PCBs up to 13 x 13 cm / 5 x 5"



PHBEK

Preheater Set for PCBs up to 36 x 28 cm / 14 x 11"



TESE-Q

Precision Hot Air Station without Extractor Desk



JTSE-Q

Power Hot Air Station without ESHT Magazine



TESE

Precision Hot Air Station



NANE

2-Tool Nano Soldering Station



NASE

2-Tool Nano Rework Station

Modular System



JTU

Power Hot Air Control Unit



ALU

Automatic-Feed Soldering Control Unit



MSE-A

Electric Desoldering Module for DDE & DME



MVE-A

Pneumatic Desoldering Module for DDE & DME



MNE-A

Nitrogen Flow Regulator for DDE, DME & HDE



FAE1

Fume Extractor with FAE1100 for 1 Workbench



FAE2-5B

Fume Extractor for 2 Workbenches