

Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier 600520
- · Trade name: Multi Silicone E-COLL (different colours)
- · Article number:

4317784638180, 4317784638241, 4317784638258, 4317784638265, 4317784638272, 4317784638289, 4317784638296, 4317784638302

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumersSU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Application of the substance / the mixture Sealant

### · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information: The product may release METHANOL. EUH210 Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment

· PBT: Not applicable.



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

(Contd. of page 1)

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>		
	HYDROCARBONS, C15-19, N-ALKANES, ISO-ALKANES, <2% AROMATICS	<10%
	🚸 Asp. Tox. 1, H304	
CAS: 37859-55-5	2-Pentanon,O,O',O"- (methylsilylidin)trioxim	<5%
ELINCS: 484-460-1 Reg.nr.: 01-2120004323-76	Acute Tox. 4, H302; Eye Irrit. 2, H319	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

· General information: Personal protection for the First Aider.

### · After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

### · 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam. (Contd. on page 3)



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool and dry place.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store in a well-ventilated place. 5-35°C
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · DNELs

### CAS: 37859-55-5 2-Pentanon,O,O',O"- (methylsilylidin)trioxim

Dermal Long term value for employees 0.065 mg/kg bw/Tag (industrial use)



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

	(Contd. of page 3)			
· PNECs				
CAS: 37859-55-5 2-Pentanon,O,O',O''- (methylsilylidin)trioxim				
PNEC-Aquatic compartment Sediment	0.57 mg/kg dw (Sweetwater)			
PNEC-Aquatic compartment Water	0.1 mg/L (Sweetwater)			
PNEC-Sewage treatment plant	2.15 mg/L (cus)			

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.

### · Individual protection measures, such as personal protective equipment

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

### · Hand protection



Protective gloves

• Material of gloves Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.4$  mm

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Recommendation: safety glasses with side protection shield
- Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

### $\cdot$ 9.1 Information on basic physical and chemical properties

<ul> <li>General Information</li> </ul>	
· Physical state	Solid
· Colour:	Different according to colouring
· Odour:	Characteristic
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not determined.
<ul> <li>Lower and upper explosion limit</li> </ul>	
· Lower:	Not determined.



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

## Trade name: Multi Silicone E-COLL (different colours)

	(Contd. of page 4)
· Upper:	Not determined.
· Flash point:	>60 °C
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
∙рН	Not applicable.
· Viscosity:	
<ul> <li>Kinematic viscosity</li> </ul>	Not applicable.
<ul> <li>Kinematic: 23 °C - 4 mm (ISO 2431)</li> </ul>	
· Dynamic:	Not applicable.
· Solubility	
· water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
<ul> <li>Density and/or relative density</li> </ul>	
· Density at 20 °C:	0.97-1.01 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not applicable.
<ul> <li>Particle characteristics</li> </ul>	See item 3.
0.2 Other information	
• 9.2 Other information	
· Appearance: · Form:	Deetr
	Pasty
Important information on protection of health	
and environment, and on safety.	Droduct is not colfigniting
Auto-ignition temperature:	Product is not selfigniting.
<ul> <li>Explosive properties:</li> <li>Change in condition</li> </ul>	Product does not present an explosion hazard.
· Evaporation rate	Not applicable.
Evaporation rate	Not applicable.
<ul> <li>Information with regard to physical hazard</li> </ul>	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
<ul> <li>Oxidising gases</li> </ul>	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

(Contd. of page 5)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

### CAS: 37859-55-5 2-Pentanon,O,O',O"- (methylsilylidin)trioxim

Oral LD50 1,234 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- $\cdot$  11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.



Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

(Contd. of page 6)

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

### · 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST	
16 05 00	gases in pressure containers and discarded chemicals	
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	

Void	
Void	
Void	
Void	
Not applicable.	(Contd. on page 8)
	Void Void Void



Printing date 31.10.2022 Version number 401 (replaces version 1)

### Trade name: Multi Silicone E-COLL (different colours)

 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation":

Void

## **SECTION 15: Regulatory information**

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void

### Directive 2012/18/EU

- · Named dangerous substances ANNEX I Methanol
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.

## Exposure scenario(s)

Exposure scenario(s) of ingredients (if present) are available on request at: sdb@ede.de

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H319 Causes serious eye irritation.

· Contact: sdb@ede.de

· Version number of previous version: 1

Revision: 31.10.2022

(Contd. of page 7)

# **E-COLL**

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.10.2022

Version number 401 (replaces version 1)

Revision: 31.10.2022

### Trade name: Multi Silicone E-COLL (different colours)

(Contd. of page 8)

EU —

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1