

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

NANOCOLOR ortho and total Phosphate LR 1 Page: 1/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

> REF 985095

Product name NANOCOLOR ortho and total Phosphate LR 1

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 5 mL total Phosphate 1-45 (R4) UFI: 7F7U-D3A4-W206-4K19 1 x 20x 35 mg NANOFIX total Phosphate 1-50 (R2) UFI: 9M7U-D3PX-H206-F86E 1 x 20x 27 mg NANOFIX total Phosphate 1-45 (R3)

20 x 1 mL total Phosphate LR 1 (R0) UFI: F67U-V37X-Y20Q-4J93

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

Supplier: E-mail: sds@mn-net.com (msds@mn-net.com) KG Carl Roth Gmb

1.4 Emergency telephone number

gemperlenstr. 3-5 Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service and O

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel +49 361 730 730 254 254 +49721 56060 http://www.mn-net.com/SDS\icherheit@cartroth.de

99089 Erfurt tel. +49 361 730 730, < https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008







GHS03

GHS07 GHS08

Signal word **DANGER**

Hazard identification	Hazard classes/categories
H272	Ox. Liq. 2
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H335	resp. irrit_STOT SF 3

Classification of the substance or mixture according to Regulation (EC) 1272/2008 2.1

5 mL total Phosphate 1-45 (R4)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 2/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16



GHS07

Signal word WARNING

Hazard identificationHazard classes/categoriesH315Skin Irrit. 2H319Eye Irrit. 2

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

Do not need labelling as hazardous

Signal word

No hazard class

1 mL total Phosphate LR 1 (R0)



GHS0

Signal word WARNING

Hazard identificationHazard classes/categoriesH315Skin Irrit. 2H319Eye Irrit. 2

20x 35 mg NANOFIX total Phosphate 1-50 (R2)







GHS03

07 GH

Signal word DANGER

Hazard identification	Hazard classes/categories
H272	Ox. Liq. 2
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H317	Skin Sens. 1
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H335	resp. irrit. STOT SE 3

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. Oxidizing mixtures with signal word: **DANGER** and **H272** must not be labelled with H and P phrases **until 125 mL**.

5 mL total Phosphate 1-45 (R4)



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 3/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16



Signal word: WARNING

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

Do not need labelling as hazardous

Signal word: -

1 mL total Phosphate LR 1 (R0)



GHS07

Signal word: WARNING

20x 35 mg NANOFIX total Phosphate 1-50 (R2)







GHS03

GHS07

GHS08

Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. P261sh, P280sh, P284, P302+352, P333+313, P342+311, P362+364, P501

Avoid breathing dust/vapours. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to regulated waste treatment.

Label elements of the complete product







GHS03

GHS07

GHS08

Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled. P261sh, P280sh, P284, P302+352, P333+313, P342+311, P362+364, P501

Avoid breathing dust/vapours. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable



Software: M2 V 6.1.4.2

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGE



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 4/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

L(+)-ascorbic acid Substance name:

CAS No .: 50-81-7

Substance rating: No criteria for classification or naming of chemical not required

Formula: C₆H₈O₆ Vitamin C Pseudonym (de): REACH Reg. No.: exempt, Annex IV EC No.: 200-066-2 Concentration: 90 - < 100 %

acc. CLP (GHS): The criteria for classification are not fulfilled

20x 35 mg NANOFIX total Phosphate 1-50 (R2)

Substance name: sodium peroxodisulfate

CAS No.: 7775-27-1

H272, Ox. Sol. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, Substance rating:

H334, Resp. Sens. 1, H335, resp. irrit. STOT SE 3

Formula: Na 2 O 8 S 2 Pseudonym (de): Natriumpersulfat REACH Reg. No.: 01-2119495975-15-xxxx

FC No: 231-892-1 80 - <100 % Concentration:

acc. CLP (GHS): H272, Ox. Liq. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2,

H334, Resp. Sens. 1, H335, resp. irrit. STOT SE 3

1 mL total Phosphate LR 1 (R0)

Substance name: sulfuric acid CAS No .: 7664-93-9

Substance rating: H314, Skin Corr. 1 B H₂SO₄(•H₂O) Formula: REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5 Indice No · 016-020-00-8

Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr Specific concentration limit:

1A; H314 c ≥ 15%

Concentration: 5 - < 15 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

5 mL total Phosphate 1-45 (R4)

Substance name: ammonium heptamolybdate

CAS No.: 12054-85-2

Substance rating: No criteria for classification or naming of chemical not required.

Formula: H ₂₄ Mo ₇ N ₆ O ₂₄ Pseudonym (de): Ammoniummolvbdat REACH Reg. No.: 01-2119498057-28-xxxx

EC No.: 234-722-4 Concentration: 2 - <5 %

Correlation factor: x 0.58 (= %Mo) The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 5/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

Substance name: sulfuric acid CAS No.: sulfuric acid 7664-93-9

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: H₂SO₄•H₂O

REACH Reg. No.: 01-2119458838-20-xxxx

EC No.: 231-639-5 Indice No.: 016-020-00-8

Concentration: 5 - <15 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization.

4.3 Indication of any immediate medical attention and special treatment needed

After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.



Software: M2 V 6.1.4.2

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 6/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

5.4 Additional information

Danger for environment only in the event of a large-scale leakage or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 **Environmental precautions**

PBT: not applicable vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

Reference to other sections 6.4

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 5 1R Water hazard class (DE):

721 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

L(+)-ascorbic acid CAS No.: 50-81-7 Chemical:

20x 35 mg NANOFIX total Phosphate 1-50 (R2)

CAS No.: 7775-27-1 Chemical. sodium peroxodisulfate

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

1 mL total Phosphate LR 1 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

[inh] 50 µg/m³ Level (for workers) DNEL: DNEL = Derived No-Effect Level $\begin{array}{ccc} \text{PNEC} & \text{(fresh water):} & 2.5 \ \mu\text{g/L} \\ \text{PNEC = Predicted No Effected Concentration} \end{array}$

EU value: 0.1 e mg/m³ TRGS 900 (DE): 0.1 E mg/m3

Short-term exposure factor: 1 (I), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value:

: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH:

OSHA: [TWA] 1 mg/m³



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com

Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGEI



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 7/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

5 mL total Phosphate 1-45 (R4)

ammonium heptamolybdate CAS No.: 12054-85-2 Chemical:

TRGS 900 (DE): [Mo] 5 E mg/m³ E/e respirable

SUVA(CH) MAK value: [Mo] 5 e mg/m³

CAS No.: 7664-93-9 Chemical: sulfuric acio

 $50~\mu g/m^3 \\ \text{DNEL = Derived No-Effect Level (for workers)}$ PNEC (fresh water): 2.5 µg/L PNEC = Predicted No Effected Concentration TRGS 900 (DE): 0.1 E mg/m³

Short-term exposure factor: 1 (I)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0.1 e ma/m³

i: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); TWA 1 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period NIOSH:

OSHA: [TWA] 1 mg/m³

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4

Recommended to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

Thermal hazards 8.2.6

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

20x 27 mg NANOFIX total Phosphate 1-45 (R3) a) State of aggregation:

b) Colour: white c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available no data available i) Flashing temperature: j) Decomposition temperature: no data available k) pH value: 5-6 I) Kinematic viscosity: no data available m) Solubility in water: 0-25 % no data available no data available

n) Dispersion coefficient (o/w): o) Vapour pressure (20°C): p) Specific gravity: no data available g) Relative vapour density (air=1): no data available r) Particle size: no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

solid (lyophilized)



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 8/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

20x 35 mg NANOFIX total Phosphate 1-50 (R2)

solid (lyophilized) a) State of aggregation: b) Colour: colourless c) Odor: odorless d) Melting point: e) Boiling point: no data available no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 5-7 no data available I) Kinematic viscosity: m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

1 mL total Phosphate LR 1 (R0)

a) State of aggregation: liquid b) Colour: colourless c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 0-1 I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1,05 g/cm³ q) Relative vapour density (air=1): no data available r) Particle size: no data available

5 mL total Phosphate 1-45 (R4) a) State of aggregation:

slightly yellow b) Colour: c) Odor: odorless d) Melting point: no data available e) Boiling point: f) Flammability: no data available no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature. no data available k) pH value: I) Kinematic viscosity: no data available m) Solubility in water: 0-100 % n) Dispersion coefficient (o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.11 a/cm³ q) Relative vapour density (air=1): no data available r) Particle size: no data available



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com

liquid



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 9/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. Properties relevant to substance groups

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 **Chemical stability**

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Persulfates decompose when heated by splitting off oxygen. Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

L(+)-ascorbic acid Chemical: CAS No.: 50-81-7

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-01947 11900 mg/kg LD50 orl rat:

20x 35 mg NANOFIX total Phosphate 1-50 (R2)

Chemical: sodium peroxodisulfate CAS No.: 7775-27-1

TSCA Inventory listed California Proposition 65 List: not listed Australia NICNAS: Yes (PEC/18) Canada CEPA 1999: DSL Yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-12369 LD50 orl rat: 902 mg/kg

Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

1 mL total Phosphate LR 1 (R0)

CAS No.: 7664-93-9 Chemical: sulfuric acid

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, teeth

irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis; Symptoms:

dental erosion; eye, skin burns; dermatitis

not listed Australia NICNAS: Canada CEPA 1999: DSL Yes

not listed, Japan PDSCL: Deleterious Substance Japan CSCL/PRTR: Japan ISHL: listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.

LD50 orl rat: 2140 mg/kg



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com Valencienner Str. 11 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 10/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

LC50 ihl mus: 0,85 mg/L/4H

TRGS 905 (DE): Kat 4

5 mL total Phosphate 1-45 (R4)

Chemical: ammonium heptamolybdate CAS No.: 12054-85-2

TSCA Inventory: listed (CAS 11098-84-3)
Japan ISHL: listed ≥1,0%/≥0,1%,
Korea Exist.Chem.Inventory: not listed
LD50 orl rat: 2000-5000 mg/kg
LD50 ihl rat: 1,930-5,840 mg/L/4H

Chemical: sulfuric acid CAS No.: 7664-93-9

TSCA Inventory: listed California Proposition 65 List: not listed

ACGIH: 1 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, teeth

Symptoms: irritation eyes, skin, nose

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance Japan ISHL: not listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)

South Korea TCCA: Accident Precaution Chemical Yes

Korea Exist.Chem.Inventory: KE-32570 LD50 _{orl rat}: 2140 mg/kg LC50 _{ihl mus}: 0,85 mg/L/4H

TRGS 905 (DE): R F C

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

20x 27 mg NANOFIX total Phosphate 1-45 (R3)

Chemical: L(+)-ascorbic acid CAS No.: 50-81-7

Water hazard class (DE): 1 WGK No.: 0737

Storage class (VCI): 13

20x 35 mg NANOFIX total Phosphate 1-50 (R2)

Chemical: sodium peroxodisulfate CAS No.: 7775-27-1

Water hazard class (DE): 1 WGK No.: 1352

Storage class (VCI): 5.1 B

1 mL total Phosphate LR 1 (R0)

Chemical: sulfuric acid CAS No.: 7664-93-9

PNEC (fresh water): 2.5 µg/L PNEC = Predicted No Effected Concentration

Storage class (VCI): 8 B

5 mL total Phosphate 1-45 (R4)



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No.: 12054-85-2

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 11/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

> Chemical: ammonium heptamolybdate

Water hazard class (DE): WGK No.: 0637

12-13 Storage class (VCI):

Chemical: sulfuric acid CAS No.: 7664-93-9

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 2.5 µg/L

LC50 fish/96h: [NOEC, 65d] 25 µg/L EC50 daphnia/48h: 100 mg/L EC10 pseudomonas putita/16h: Water hazard class (DE): [72h] 100 mg/L WGK No.: 0182 Storage class (VCI): 8 B

12.2 Persistence and degradability

not necessary

12.3 Bioaccumulative potential

not necessary

12.4 Mobility in soil

not necessary

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations because De Minimis (excepted quantities: ≤1 mL/∑≤100 mL) = ADR 3.5.1.4 **De Minimis** (excepted quantities: $\leq 1 \text{ mL}/\overline{\Sigma} \leq 100 \text{ mL}$) = IATA DRG 2.6.10

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

TRGS 500, Protective measures, Mai 2008



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 12/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

not necessary for these small amounts

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.5.16 and 2.2.2.2 following changes were applied: - 3 composition data corrected - 14 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

May intensify fire; oxidizer. H272 H302 Harmful if swallowed. Causes skin irritation. H315

May cause an allergic skin reaction. H317 H319 Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

May cause respiratory irritation. H335

16.2.2 List of relevant P phrases

Avoid breathing dust/vapours. P261sh P280sh Wear protective gloves/eye protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+352 IF ON SKIN: Wash with plenty of water.

P333+313 If skin irritation or rash occurs: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. P342+311

P362+364 P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)! An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation

487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 176/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 13/14
Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: European Community

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: European Union fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: guinea pig ICAO: Internation

ICAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

ISHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50%

LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe
MAK: maximum workplace concentration

Met: Metall mus: mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow PNEC: Predicted No Effected Concentration PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride quail: bird, quail rat: rat rbt: rabbit



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

CHEREY-NAGE



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 985095 NANOCOLOR ortho and total Phosphate LR 1 Page: 14/14 Printing date: 27.09.2023 Date of issue: 26.09.2022 Version: 2.2.5.16

rapidly degradable RD:

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number harmful to reproduction Repr:

respiratory Resp:

RIP: **REACH Implementations Projects**

scu: sub cutan SDS: safety data sheet sensitisation Sens:

short term exposure limit STEL: Specific Target Organ Toxicity STOT: SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

toxic

Tox: TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.