

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 1/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 931223  
 Product name VISOCOLOR ECO Cyanuric acid, refill pack  
 REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.  
 1 x 20 g Cya-1 UFI: 1HPU-D3H8-420C-MJKV

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.  
**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Giftinformationszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS08

Signal word	WARNING
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H351	Carc. 2
H373	STOT RE 2

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

20 g Cya-1



GHS08

Signal word	WARNING
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H351	Carc. 2
H373	STOT RE 2



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 931223

VISOCOLOR ECO Cyanuric acid, refill pack

Page: 2/10

Printing date: 15.05.2024

Date of issue: 19.06.2023

Version: 2.2.3.6

List of H phrases: see section 16.2

### 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

20 g Cya-1



GHS08

Signal word: WARNING

H351

Suspected of causing cancer.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

### Label elements of the complete product



GHS08

Signal word: WARNING

H351

Suspected of causing cancer.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

### 2.3 Other hazards

#### Possible hazards from physicochemical properties

no data available

#### Information pertaining to particular risks to human and possible symptoms

Suspected of causing cancer.

#### Information pertaining to particular risks to the environment

**PBT:** This substance/mixture contains components considered to be persistent, bioaccumulating and toxic (PBT) at levels of 0.1% or higher (see 12.5).

**vPvB:** not applicable

#### Possible endocrine disrupting effects

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

20 g Cya-1



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 3/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

Substance name: *1,3,5-triazine-2,4,6-triamine*  
 CAS No.: 108-78-1

Substance rating: H351, Carc. 2, H373, STOT RE 2  
 Formula:  $C_3H_6N_6$   
 Pseudonym (de): Melamin  
 REACH Reg. No.: 01-2119485947-16-xxxx  
**SVHC listed: listed (17/01/2023) Cand. Lst. REACH Art59(10)**  
 EC No.: 203-615-4  
 Concentration: 10 - <25 %  
 acc. CLP (GHS): H351, Carc. 2, H373, STOT RE 2

Substance name: *sodium sulfite*  
 CAS No.: 7757-83-7

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $Na_2SO_3$ , E221  
 Pseudonym (de): E221, Schwefligsaures Natrium  
 REACH Reg. No.: 01-2119537420-49-xxxx  
 EC No.: 231-821-4  
 Concentration: 10 - <20 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *phosphates (buffer salts)*  
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
 Formula:  $K/Na_{1-3}H_{2-0}PO_4$   
 Concentration: 50 - <75 %  
 acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

- 4.1.1 After SKIN Contact**  
 Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.
- 4.1.2 After EYE Contact**  
 After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).
- 4.1.3 After INHALATION of vapours**  
 After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---
- 4.1.4 After ORAL Intake**  
 After oral intake lots of water should be drunk after it has been ingested.

### 4.2 Most important symptoms and effects, both acute and delayed

CMR Effekte: Suspected of causing cancer.

### 4.3 Indication of any immediate medical attention and special treatment needed

---



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223

VISOCOLOR ECO Cyanuric acid, refill pack

Page: 4/10

Printing date: 15.05.2024

Date of issue: 19.06.2023

Version: 2.2.3.6

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

Product package burns like paper or plastic.

### 5.4 Additional information

no data available

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

**PBT:** This substance/mixture contains components considered to be persistent, bioaccumulating and toxic (PBT) at levels of 0.1% or higher (see 12.5).

**vPvB:** not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

no data available

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

**Storage class (VCI):** 12

**Water hazard class (DE):** 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 20 g Cya-1

Chemical: 1,3,5-triazine-2,4,6-triamine

CAS No.: 108-78-1

Chemical: sodium sulfite

CAS No.: 7757-83-7

DNEL: 298 inh mg/m<sup>3</sup>

DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -

E/e respirable



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 5/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

Chemical: phosphates (buffer salts)

CAS No.: -

## 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

### 8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 20 g Cya-1

a) State of aggregation:	powder (solid)
b) Colour:	slightly yellow
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K <sub>ow</sub> ):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

### 9.2 Other information

#### 9.2.1 Information on physical hazard classes

no data available

#### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□□



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 6/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

## SECTION 10: Stability and reactivity

- 10.1 Reactivity**  
no further data available.
- 10.2 Chemical stability**  
no known instability.
- 10.3 Possibility of hazardous reactions**  
No further data available.
- 10.4 Conditions to avoid**  
No more required.
- 10.5 Incompatible materials**  
no additional data available
- 10.6 Hazardous decomposition products**  
In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

**20 g Cya-1**

Chemical:	<i>1,3,5-triazine-2,4,6-triamine</i>	CAS No.: 108-78-1
TSCA Inventory:	listed	
LD50 orl rat :	3161 mg/kg	
LD50 orl mus :	3296 mg/kg	

Chronic Effects: May cause damage to organs through prolonged or repeated exposure.  
Carcinogenic Effects: Suspected of causing cancer.

Chemical:	<i>sodium sulfite</i>	CAS No.: 7757-83-7
TSCA Inventory:	listed	
Korea Exist.Chem.Inventory:	KE-31612	
LD50 orl rat :	2610 mg/kg	
LC50 ihl rat :	> 5,5 mg/LJ4H	

Chemical:	<i>phosphates (buffer salts)</i>	CAS No.: -
TSCA Inventory:	all listed	
Korea Exist.Chem.Inventory:	listed	
LD50 orl rat :	> 2000 mg/kg	

### 11.2 Other hazards

**Possible endocrine disrupting effects**

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Other information**

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

**20 g Cya-1**

Substance name:	<i>1,3,5-triazine-2,4,6-triamine</i>	CAS-Nr.: 108-78-1
Water hazard class (DE):	1	



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 7/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

Substance name: <i>sodium sulfite</i>	CAS-Nr.: 7757-83-7
LC50 <sub>fish/96h</sub> : 315 <sub>96h</sub> mg/L	
EC10 <sub>pseudomonas putida/16h</sub> : 260 <sub>17h</sub> mg/L	
Water hazard class (DE): 1	WGK No.: 0282
Storage class (VCI): 12-13	
Substance name: <i>phosphates (buffer salts)</i>	CAS-Nr.: -
Water hazard class (DE): 1	
Storage class (VCI): 13	

## 12.2 Persistence and degradability

<b>20 g Cya-1</b>		
Substance name:	<i>1,3,5-triazine-2,4,6-triamine</i>	CAS-Nr.: 108-78-1
calc. half-life (SFO model, soil):	10000 d	
Degradation half-life, soil (DegT <sub>50</sub> ):	1095 d	

## 12.3 Bioaccumulative potential

<b>20 g Cya-1</b>		
Substance name:	<i>1,3,5-triazine-2,4,6-triamine</i>	CAS-Nr.: 108-78-1
Dispersion coefficient (K <sub>o/w</sub> ):	-1,37	
Bioconcentration factor (BCF):	3	
Substance name:	<i>sodium sulfite</i>	CAS-Nr.: 7757-83-7
Dispersion coefficient (K <sub>o/w</sub> ):	-4	

## 12.4 Mobility in soil

<b>20 g Cya-1</b>		
Substance name:	<i>1,3,5-triazine-2,4,6-triamine</i>	CAS-Nr.: 108-78-1
Soil adsorption coefficient (K <sub>oc</sub> ):	5	

## 12.5 Results of PBT and vPvB assessment

This substance/mixture **contains components (CAS:108-78-1 {?5 CAS:1634-04-4 {/?5}})**, in concentrations 0.1% or higher classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

## 12.6 Endocrine disrupting properties

This substance/mixture contains components considered to have endocrinedisrupting properties affecting human health, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

### 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

## SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Carriage in bulk by sea in accordance with IMO instruments



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223

VISOCOLOR ECO Cyanuric acid, refill pack

Page: 8/10

Printing date: 15.05.2024

Date of issue: 19.06.2023

Version: 2.2.3.6

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017  
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
 TRGS 561, Activities involving carcinogenic metals and their compounds, Oct 2017  
 MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
 If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment not necessary for these small amounts

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.3.6 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 4 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H Between versions 2.2.3.6 and 2.2.2.2 following changes were applied: - 1 composition data corrected - 4 substance data corrected  
 H351 Suspected of causing cancer.  
 H373 May cause damage to organs through prolonged or repeated exposure.

#### 16.2.2 List of relevant P phrases

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P280sh Wear protective gloves/eye protection.  
 P308+313 IF exposed or concerned: Get medical advice/attention.  
 P405 Store locked up.  
 P501 Dispose of contents/container to regulated waste treatment.

### 16.3 Recommended restriction on use

Only for professional user.  
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
 An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021  
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
 Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009  
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)  
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG  
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)  
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)  
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)  
 TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016  
 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)  
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)  
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019  
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG  
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

## according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 9/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

**revisions/updates**

*Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
 2014-04 adjustment according Regulation 487/2013/EU  
 2016-03 adjustment according Regulation 1221/2015/EU  
 2017-11 adjustment according the ECHA registration dossier  
 2022-11 adjustment according Regulation 878/2020/EU*

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose. MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

- acc: according
- ADR: Convention concerning the International Carriage of Dangerous Goods by Road
- Act: acute
- BAT: biological workplace tolerance value
- CAO: Cargo Aircraft Only
- Carc: carcinogen
- CAS: Chemical Abstracts Service
- CLP: Classification, Labelling and Packaging regulation
- CMR: carcinogen, mutagen, reproduction toxic
- Corr: corrosive
- COD: chemical oxigen demand
- CSCL: Chemical Substance Control Law (Jp)
- Dam: damage
- DNEL: Derived No-Effect Level (for workers)
- derm: dermal
- dog: dog
- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not spezified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fisch, fathead minnow
- PNEC: Predicted No Effect Concentration



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931223	VISOCOLOR ECO Cyanuric acid, refill pack	Page: 10/10
Printing date: 15.05.2024	Date of issue: 19.06.2023	Version: 2.2.3.6

- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride
- quail: bird, quail
- rat: rat
- rbt: rabbit
- RD: rapidly degradable
- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- RIP: REACH Implementations Projects
- scu: sub cutan
- SDS: safety data sheet
- Sens: sensitisation
- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.

