Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Hera GmbH & Co KG

Supplier's address: FE, Dieselstraße 9, 32130 Enger Herford, DE

Model identifier: Lugano

Type of light source:


Lighting technology used:	LED	Non-directional or directional:	DLS		
Light source cap-type	nein				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein		
Colour-tuneable light source:	Nein	Envelope:	-		
High luminance light source:	Nein				
Anti-glare shield:	Nein	Dimmable:	Yes		
Product parameters					

Parameter		Value	Parameter	Value			
General product parameters:							
0,	mption in on- 000 h), rounded est integer	23	Energy efficiency class	G			
indicating if it r in a sphere (3	us flux (фuse), refers to the flux 60º), in a wide in a narrow cone	1 293 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 000			
On-mode expressed in W	oower (P _{on}),	21,8	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00			
for CLS, expre	ndby power (P _{net}) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	95			
Outer	Height	1 200	Spectral power	See image			
dimensions	Width	40	distribution in the	in last page			
without	Depth	12		Seite 1 / 3			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load				
Claim of equivalent power ^(a)	-	lf yes, equivalent power (W)	-			
		Chromaticity coordinates (x and y)	0,437 0,395			
Parameters for directional light sources:						
Peak luminous intensity (cd)	1	Beam angle in degrees, or the range of beam angles that can be set	110			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,00			
the lumen maintenance factor	0,00					

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Wavelength(nm)