

Safety data sheet according to 2006/66/EC

Edition: 2012-06-22 Version: 9 / Alkaline

#### 1. IDENTIFICATION

Alkaline-Batteries

VARTA Consumer Batteries
GmbH & Co. KGaA

Alfred-Krupp-Str. 9 73479 Ellwangen/Germany
Phone ++49 (0) 7961 / 83-0
Fax ++49 (0) 800 / 8278274

Emergency Telephone Number: ++49 (0) 911 / 65372260

#### 2. COMPOSITION / INFORMATION on INGREDIENTS

Substance	Approximate percent of total weight
Manganese Dioxide (MnO <sub>2</sub> ) Zinc (Zn) Graphite (C) Potassium Hydroxide (KOH) Steel Zinc Oxide (ZnO) Water, paper, plastic (Polyamide, Teflon), other	24 - 43 9 - 18 2 - 5 3 - 8 14 - 26 < 0.5 balance
Mercury (Hg) Lead (Pb) Cadmium (Cd)	0.00003 0.0001 - 0.003 0.00002

Alkaline-Batteries Page 1 / 5

Page 2 / 5



### **Material Safety Data Sheet**

Safety data sheet according to 2006/66/EC

Edition: 2012-06-22 Version: 9 / Alkaline

#### 3. HAZARDS IDENTIFICATION

**Note:** The batteries described in this Safety Data Sheet are sealed and are not

harmful, as long as they are used in compliance with the manufacturer instructions. The content of the battery housing does not create a hazard, as

long as the integrity of the battery housing is not affected by abuse

(mechanicel, thermal, electrical). Fire, explosion and severe, burn hazard in

such abuse conditions may occur.

Warning: Do not charge, short circuit, puncture, deform, disassemble, heat above

85 °C, incinerate or expose contents to water. Keep batteries away from small children. International Standard IEC 60086-5 contains more detailed

information on safety of alkaline batteries.

#### 4. FIRST AID MEASURES

### **Contact to internal Battery content:**

► Skin: Immediately flush with plenty of water for at least 15 minutes.

If symptoms are present after flushing, get medical attention.

**Eyes:** Immediately flush with plenty of water for at least 15 minutes

and get medical attention.

► Respiratory

Alkaline-Batteries

system:

Leave area immediately. With large quantities and irritation

of the respiratory tract get medical attention.

▶ **Ingestion**: Rinse mouth and sorrounding area with water.

Seek for immediate medical attention.



Safety data sheet according to 2006/66/EC

Edition: 2012-06-22 Version: 9 / Alkaline

#### 5. FIRE - FIGHTING MEASURES

#### A. Extinguishing Media:

- Copious amounts of water is an effective extinguishing medium for alkaline batteries.
- Dry chemical type extinguishers may also be used.

#### B. Fire Fighting Procedures:

•	Use a positive pressure self-contained breathing apparatus if batteries are involved in a fire.

#### 6. ACCIDENTAL RELEASE MEASURES

When the battery housing is damaged, small amounts of electrolyte may leak. Seal battery air tight in a plastic bag, adding some dry sand, chalk (CaCO<sub>3</sub>) or lime (CaO) powder or Vermiculite. Electrolyte traces may be wiped off dryly using household paper. Rinse with water afterwards.

#### 7. HANDLING AND STORAGE

- Do not allow terminals to short-circuit.
- ► Storage preferably in a cool (below 30 °C), dry area that is subject to little temperature change.
- Do not place near heating equipment, nor expose to direct sunlight for long periods. Elevated temperatures can result in reduced battery service life.

Alkaline-Batteries Page 3 / 5



Safety data sheet according to 2006/66/EC

Edition: 2012-06-22 Version: 9 / Alkaline

8.	EXPOSURE CONTROLS / PERSONAL PROTECTION			
	Respiratory eqipment: Hand protection: Eye protection:	None required under normal use conditions.  None required under normal use conditions. Use butyl gloves when handling leaking batteries.  None required under normal use conditions. Wear safety glasses when handling leaking batteries.		
9.	PHYSICAL AND CHE			
10.	STABILITY AND REA  May rupture violently w	CTIVITY when heated above 100 °C or when charged.		
11.	TOXIOLOGICAL INFO	PRMATION		
12.	ECOLOGICAL INFOR  Not applicable.	MATION		

Alkaline-Batteries Page 4 / 5



Safety data sheet according to 2006/66/EC

Edition: 2012-06-22	Version: 9 / Alkaline

# 13. **DISPOSAL CONSIDERATIONS** In accordance with appropriate national regulations (2006/66/EC). 14. TRANSPORT INFORMATION Alkaline batteries, which we supply to our customers are not subject to dangerous goods transport regulations due to following regulations: Air transport: IATA Dangerous Goods Regulations 53. Edition special provision 123 The shipping documents contain "Not restricted, as per Special Provision A123" See transport: IMDG Code 35. Amendment special provision 188 Road and rail transport: ADR/RID 2011 special provision 188 All of these batteries are carefully packed and provide appropriate protection for prevention of short circuits 15. **REGULATORY INFORMATION** Not applicable. **OTHER INFORMATION** 16. For alkaline batteries in general, Safety standard IEC 60086-5 applies. It contains detailed recommendations for manufactures of equipment and users.

Alkaline-Batteries Page 5 / 5