(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier** : SCJP Mr Muscle® Drain Gel

UFI: 2HVN-V02K-G00U-MT9F

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture**: Washing and cleaning products (including solvent based products)

Uses advised against : None identified

1.3 Details of the supplier of the :

safety data sheet

SC Johnson Professional Ltd.

Denby DE5 8JZ UK

SC Johnson Professional GmbH

Girmesgath 47803 Krefeld

EU

**Telephone** : 44 (0) 1773 855 100

E-mail address : talktous@scj.com

1.4 Emergency telephone

number

Consumer Care Center: UK - 0800 353 353

Ireland - 1800 409 176

Poison Center:

Ireland, NPIC - 01 809 2166 (Available 8.00 a.m. to 10.00 p.m. 7 days a week)

Ireland, NPIC - 01 809 2566 (Healthcare Professionals only) UK, NPIS - 0344 8920111 (Healthcare Professionals only)

### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Classification according to Regulation (EC) No 1272/2008 (CLP)

Hazard classification	Hazard category	Hazards identification
Corrosive to metals	Category 1	May be corrosive to metals.
Skin corrosion	Category 1	Causes severe skin burns and eye
		damage.
Serious eye damage	Category 1	Causes serious eye damage.
Short-term (acute) aquatic hazard	Category 1	Very toxic to aquatic life.
Long-term (chronic) aquatic hazard	Category 2	Toxic to aquatic life with long lasting
		effects.

## 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

### **Hazard symbols**





### Signal word

Danger

### **Contains**

Sodium hypochlorite caustic soda Amines, C12-18-alkyldimethyl, N-oxides

# Hazard statements

(H290) May be corrosive to metals.

(H314) Causes severe skin burns and eye damage.

(H410) Very toxic to aquatic life with long lasting effects.

### **Precautionary statements**

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P310) Immediately call a POISON CENTER/doctor.

(P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(P405) Store locked up.

(P501) Dispose of contents /container in accordance with local regulations.

(P260) Do not breathe fume.

(P280) Wear protective gloves / eye protection.

#### **EUH Statements**

(EUH206) Warning! Do not use together with other products. May release dangerous gases (chlorine).

### **Additional Labelling**

Keep container tightly closed in a cool place and store bottle upright.

Detergents regulations : Contains

< = 5% chlorine-based bleaching agents, soap, amphoteric surfactants,

**2.3 Other hazards** : None identified

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

# **Hazardous components**

	CAS-No./EC No			Weight percent
Sodium hypochlorite	7681-52-9	01-2119488154-34	Skin corrosion	>= 1.00 - <

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

	231-668-3		Category 1B H314 Serious eye damage Category 1 H318 Short-term (acute) aquatic hazard Category 1 H400 Long-term (chronic) aquatic hazard Category 1 H410 Long-term (chronic) aquatic hazard Category 1 H410 M-Factor Chronic - 1M-Factor Agusta 10	5.00
			Factor Acute - 10	
caustic soda	1310-73-2 215-185-5	01-2119982981-22	Skin corrosion Category 1A H314 Serious eye damage Category 1	>= 1.00 - < 5.00

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

sodium chlorate  7775-09-9 231-887-4  01-2119474389-23 Oxidizing solids Category 1 H271 Acute toxicity Category 4 H302 Long-term (chronic) aquatic hazard Category 2 H411  sodium bromate  7789-38-0  01-2120767488-36 Acute toxicity			H318	
sodium bromate 7789-38-0 01-2120767488-36 Acute toxicity	sodium chlorate	01-2119474389-23	Category 1 H271 Acute toxicity Category 4 H302 Long-term (chronic) aquatic hazard Category 2	>= 1.00 - < 5.00
Category 2 H315	sodium bromate	01-2120767488-36	Category 4 H302 Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2	>= 0.10 - < 0.50

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Amines, C12-18-alkyldimethyl,	68955-55-5	01-2119489396-21	Skin irritation	>= 1.00 - <
N-oxides	931-341-1		Category 2	5.00
			H315	
			Serious eye damage	
			Category 1	
			H318	
			Long-term (chronic)	
			aquatic hazard	
			Category 2	
			H411	
			Short-term (acute) aquatic	
			hazard	
			Category 1	
			H400	
			Acute toxicity	
			Category 4	
			H302	
			M-Factor Acute - 1	

# **Additional Information**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Print Date 20.04.2021

Revision Date 07.07.2020 Specification Number: 350000007542

SITE FORM Number:

3000000000000006629.006

Inhalation : In case of accidental exposure to chlorine gas:

Move to fresh air.

If breathing is difficult, give oxygen. Get medical attention immediately.

Skin contact : Take off all contaminated clothing immediately.

Immediately flush skin with large amounts of water. Get medical attention if irritation develops and persists.

Wash contaminated clothing before re-use.

Eye contact : Remove contact lenses.

Protect unharmed eye.

Keep eye wide open while rinsing.

Flush immediately with plenty of water for at least 15 to 20 minutes.

In case of accidental exposure to chlorine gas:

Get medical attention immediately.

Ingestion : Do NOT induce vomiting.

Rinse mouth with water.

Get medical attention immediately.

Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Eyes : Causes serious eye damage.

No adverse effects expected when used as directed.

Skin effect : Causes severe skin burns.

No adverse effects expected when used as directed.

Inhalation : Warning! Do not use together with other products. May release dangerous

gases (chlorine).

May cause respiratory tract irritation.

No adverse effects expected when used as directed.

Ingestion : Causes digestive tract burns.

No adverse effects expected when used as directed.

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

### 4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances

and the surrounding environment.

Unsuitable : None identified

5.2 Special hazards arising from

the substance or mixture

In case of fire and/or explosion do not breathe fumes.

Exposure to decomposition products may be a hazard to health.

**5.3 Advice for firefighters** : In the event of fire, wear self-contained breathing apparatus.

Wear suitable protective clothing and gloves.

Refer to current EN or National standard as appropriate.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

**6.2 Environmental precautions** : Outside of normal use, avoid release to the environment.

Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective

authorities.

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 30000000000000006629.006

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Clean residue from spill site.

Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections** : For personal protection see section 8.

For disposal considerations see section 13.

### **SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling** : For personal protection see section 8.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the application area.

Wear personal protective equipment.

Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in original container.

Do not freeze.

Keep out of the reach of children.

Store away from food, beverages and pet food. No decomposition if stored and applied as directed.

**7.3 Specific end use(s)** : Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

Consumer uses: Private households (= general public = consumers) Washing and cleaning products (including solvent based products)

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

## **Occupational Exposure Limit Values**

Components	CAS-No.	mg/m3	ppm	Form of exposure	List
caustic soda	1310-73-2	2 mg/m3			UK_WELSTEL

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Refer to current EN or National standard as appropriate.

### 8.2 Exposure controls

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection : Wear suitable gloves.

Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.

The selected protective gloves have to satisfy the specifications of Regulation

(EU) 2016/425 and the standard EN 374 derived from it. Before removing gloves clean them with soap and water.

Eye/face protection : Safety glasses

Skin and body protection : Wash contaminated clothing before re-use.

Other information : Wash hands before breaks and at the end of workday.

Environmental Exposure Controls : Refer to section 6.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear

Odour : odourless

Odour Threshold : Test not applicable for this product type

pH : 13.4

(undiluted)

(according to Regulation (EC) No. 2015/830)



### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Melting point/freezing point : 32 °F

Initial boiling point and boiling range : > 93 C

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Test not applicable for this product type

Upper/lower flammability or

explosive limits

: Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.1 g/cm3 at 25 °C

Solubility(ies) : completely soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : 1,500 mPa.s

Viscosity, kinematic : Test not applicable for this product type

Explosive properties : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

9.2 Other information

(according to Regulation (EC) No. 2015/830)



### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Other information : None identified

#### **SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity** : Warning! Do not use together with other products. May release dangerous

gases (chlorine).

**10.2 Chemical stability** : Stable under recommended storage conditions.

10.3 Possibility of hazardous

reactions

: Warning! Do not use together with other products. May release dangerous

gases (chlorine).

**10.4 Conditions to avoid** : Extremes of temperature and direct sunlight.

**10.5 Incompatible materials** : Warning! Do not use together with other products. May release dangerous

gases (chlorine).

Do not mix with acids or any other household products. May release

dangerous gases (chlorine).

10.6 Hazardous decomposition

products

 $: \quad \hbox{No decomposition if stored and applied as directed}.$ 

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

## Acute oral toxicity

Name	Method	Species	Dose
Product	LD50		> 2 g/kg
	Calculated		

### Acute inhalation toxicity

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Name	Method	Species	Dose	Exposure time
Product	LC50 (vapour) Calculated		> 20 mg/l	

## **Acute dermal toxicity**

Name	Method	Species	Dose
Product	LD50		> 2,000 mg/kg
	Calculated		

# Acute oral toxicity

Name	Method	Species	Dose
Sodium hypochlorite	LD50	Rat	1,100 mg/kg
caustic soda	LD50 Measured	Rat	325 mg/kg
sodium chlorate	LD50	Rat	4,950 mg/kg
sodium bromate	LD50	Rat	157 mg/kg
Amines, C12-18-alkyldimethyl, Noxides	LD50 Measured	Rat	846 mg/kg

## Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Sodium hypochlorite	No data available			

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

caustic soda	No data available			
sodium chlorate	LC50 (dust and mist)	Rat	> 5.59 mg/l	4.5 h
sodium bromate	No data available			
Amines, C12-18-alkyldimethyl, Noxides	No data available			

## **Acute dermal toxicity**

Name	Method	Species	Dose
Sodium hypochlorite	LD50	Rabbit	> 20,000 mg/kg
caustic soda	LD50	Rabbit	1,350 mg/kg
sodium chlorate	LD50	Rabbit	> 2,000 mg/kg
sodium bromate	No data available		
Amines, C12-18-alkyldimethyl, N-oxides	LD50 Measured	Rat	> 2,000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/eye

irritation

: Causes serious eye damage.

Skin sensitisation : Based on available data, the classification criteria are not met.

Germ cell mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Toxicity for reproduction : Based on available data, the classification criteria are not met.

STOT - single exposure : Based on available data, the classification criteria are not met.

STOT - repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Product**: The product itself has not been tested.

12.1 Toxicity

Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	LC50	Fish	0.06 mg/l	96 h
	NOEC		0.01 - < 0.1 mg/l	28 d
caustic soda	LC50	Fish	35 - 189 mg/l	96 h
sodium chlorate	LC50	Lepomis macrochirus (Bluegill sunfish)	1,000 mg/l	96 h
	NOEC	Danio rerio (zebra fish)	> 500 mg/l	36 d
sodium bromate	No data available			
Amines, C12-18-alkyldimethyl, Noxides	LC50 semi-static test Measured	Oncorhynchus mykiss (rainbow trout)	1.26 mg/l	96 h

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

OECD Test Guideline 203			
NOEC Read-across (Analogy)	Pimephales promelas (fathead minnow)	0.495 mg/l	15 d

## Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
caustic soda	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
sodium chlorate	EC50	Daphnia magna (Water flea)	1,172 mg/l	48 h
	NOEC	Daphnia magna	> 500 mg/l	21 d
sodium bromate	EC50 static test	Daphnia magna (Water flea)	> 100 mg/l	48 h
Amines, C12-18-alkyldimethyl, Noxides	EC50 static test	Daphnia magna (Water flea)	2.4 mg/l	48 h
	NOEC Read-across (Analogy)	Daphnia magna	0.7 mg/l	21 d

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	72 h

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

caustic soda	No data available			
sodium chlorate	EbC50	Scenedesmus capricornutum (fresh water algae)	129 mg/l	72 h
sodium bromate	NOEC Static	Scenedesmus sp.	31.6 mg/l	72 h
Amines, C12-18-alkyldimethyl, Noxides	ErC50 Measured	Desmodesmus subspicatus (green algae)	0.8 mg/l	72 h

# 12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
caustic soda	No data available		
sodium chlorate	No data available		
sodium bromate	No data available		
Amines, C12-18-alkyldimethyl, Noxides	> 80 %	28 d	Readily biodegradable.

## 12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	No data available	-3.42
caustic soda	0.89 estimated	-1.38
sodium chlorate	No data available	No data available
sodium bromate	No data available	No data available

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

Amines, C12-18-alkyldimethyl, N-	No data available	2.69
oxides		

## 12.4 Mobility in soil

End point	Value
No data available	
Кос	> 619
	No data available

### 12.5 Results of PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
caustic soda	Not fulfilling PBT and vPvB criteria
sodium chlorate	Not fulfilling PBT and vPvB criteria
sodium bromate	Not fulfilling PBT and vPvB criteria
Amines, C12-18-alkyldimethyl, N-oxides	Not fulfilling PBT and vPvB criteria

**12.6 Other adverse effects** : None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

chemical or used container.

Disposal should be in accordance with local, state or

national legislation.

Please recycle empty packaging.

Packaging : Do not re-use empty containers.

## **SECTION 14: TRANSPORT INFORMATION**

	Land transport	Sea transport	Air transport
14.1 UN number	3266	3266	3266
14.2 UN proper shipping	CORROSIVE LIQUID, BASIC,	CORROSIVE LIQUID, BASIC,	CORROSIVE LIQUID, BASIC,
name	INORGANIC, N.O.S.	INORGANIC, N.O.S.	INORGANIC, N.O.S.
	(sodium hydroxide, sodium	(sodium hydroxide,	(sodium hydroxide,
	hypochlorite), 8, II Marine	sodium hypochlorite), 8, II	sodium hypochlorite), 8, II
	Pollutant	Marine Pollutant	Marine Pollutant
14.3 Transport hazard	8	8	8
class(es)			
14.4 Packing group	II	II	II
14.5 Environmental			
hazards			
14.6 Special precautions	Limited quantities	Limited quantities	Limited quantities
for user	derogation may be	derogation may be	derogation may be
	applicable to this product,	applicable to this product,	applicable to this product,
	please check transport	please check transport	please check transport
	documents.	documents.	documents.
14.7 Transport in bulk	Product not transported as	Product not transported as	Product not transported as
according to Annex II of	bulk.	bulk.	bulk.
MARPOL 73/78 and the			
IBC Code			

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental

This safety datasheet complies with the requirements of Regulation (EC)

No. 1907/2006.

(according to Regulation (EC) No. 2015/830)



#### SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

regulations/legislation specific for the substance or mixture

**15.2 Chemical safety assessment** : Not required for consumer products.

#### **SECTION 16: OTHER INFORMATION**

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

## Key abbreviations or acronyms used

EC - European Community

EEC – European Economic Community

CLP - Classification Labelling & Packaging

EN – European Standard or European Norm

PBT – Persistent, Bioaccumulative & Toxic

vPvB – very persistent, very bioaccumulative

UN – United Nations

#### **Evaluation methods**

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

## **Full text of H-Statements**

H271	May cause fire or explosion; strong oxidizer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

(according to Regulation (EC) No. 2015/830)



## SCJP Mr Muscle® Drain Gel

Version 4.0 Revision Date 07.07.2020 Print Date 20.04.2021 Specification Number: 350000007542 SITE FORM Number: 300000000000000006629.006

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.