Bits for TORX® Screws



AINI





EAN/GTIN: Part no.:

Article no.:

4013288117687 05073621001 3867/1 TS SB TX 15

Dimension:	100x60x10 mm
Weight:	9 g
Country of origin:	CZ
Customs tariff number:	82079030

• Solution to the extraneous rust problem: fasten stainless screws with stainless tools

- For recessed TORX® screws
- Torsion design against premature wear
- 1/4" hexagon drive
- "Take it easy" Tool Finder: colour coding according to profile and size

Weblink

 $http://products.wera.de/en/bits_holders_adaptors_the_range_of_wera_bits_bits_for_torx_screws_3867_1_ts_sb_sis.html$

Wera - 3867/1 TS SB TX 15 05073621001 - 4013288117687 Bits for TORX® Screws



High quality bits out of stainless steel for recessed TORX® screws. Wera stainless are made out of stainless steel which prevents the formation of unsightly extraneous rust. Come with Torsion zone: Torsion bits take-up torque peaks and absorb them in the Torsion zone. This prevents premature wear and extends the service life of the bit. ¼" hexagon, suitable for holders as per DIN ISO 1173-D 6.3.

Wera - 3867/1 TS SB TX 15 05073621001 - 4013288117687

Bits for TORX® Screws

Content:



3867/1 TS TORX® 05071033001 1 x TX 15x25

Stainless Steel Bits



Wera stainless steel bits are manufactured out of stainless steel so unsightly rust can be avoided. The stainless steel bits from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

Screw stainless steel together with stainless steel!



Solution to the rust problem: screw stainless steel together with stainless steel! Wera stainless steel tools are manufactured out of stainless steel so unsightly rust can be avoided.

Vacuum ice-hardened



The stainless steel tools from Wera are vacuum ice-hardened and have the hardness and strength needed for screw connections. There are no limitations to the industrial applications they are suitable for.

"Take it easy" tool finder



"Take it easy" tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.