### CHEREY-NAGE



## **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 931226 VISOCOLOR ECO Iron 2, refill pack Page: 1/9 Printing date: 15.05.2024 Date of issue: 30.09.2022 Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** 

> REF 931226

Product name VISOCOLOR ECO Iron 2, refill pack

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1 x 17 mL Fe-1 1 x 5 g Fe-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number** 

Information not necessary.

You find our current versions of SDS in Internet:

<a href="http://www.mn-net.com/SDS">http://www.mn-net.com/SDS></a>

### **SECTION 2: Hazard identification**

Classification of the complete product according to Regulation (EC) 1272/2008 2.0

> Hazard identification Hazard classes/categories

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

5 g Fe-2

Do not need labelling as hazardous

Signal word

No hazard class

17 mL Fe-1

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

### CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 931226 VISOCOLOR ECO Iron 2, refill pack Page: 2/9 Printing date: 15.05.2024 Date of issue: 30.09.2022 Version: 2.2.2.2

5 a Fe-2

Do not need labelling as hazardous

Signal word: -

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product

Signal word: -

#### 2.3 Other hazards

#### Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects

no data available

### SECTION 3: Composition / information on ingredients

#### 3.1 Substances or 3.2 Mixtures

5 g Fe-2

Substance name: L(+)-ascorbic acid

CAS No.: 50-81-7

Substance rating: No criteria for classification or naming of chemical not required.

Formula: C 6 H 8 O 6 Pseudonym (de): Vitamin C REACH Reg. No.: exempt, Annex IV EC No.: 200-066-2 Concentration: 20 - <30 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: sodium chloride CAS No.: 7647-14-5

Substance rating: No criteria for classification or naming of chemical not required.

Formula: NaCl Kochsalz Pseudonym (de): REACH Reg. No.: exempt, Annex V EC No.: 231-598-3

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

17 mL Fe-1

Substance name: acetate buffer solution

CAS No.:

Substance rating: No criteria for classification or naming of chemical not required

CH 3 COOH/K/Na•H 2 O Formula: Concentration: 45 - < 60 %

acc. CLP (GHS): The criteria for classification are not fulfilled.



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

### according to Regulations REACh 1907/2006/EC

REF: 931226 VISOCOLOR ECO Iron 2, refill pack Page: 3/9
Printing date: 15.05.2024 Date of issue: 30.09.2022 Version: 2.2.2.2

#### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Not necessary

4.1.2 After EYE Contact

Not necessary.

4.1.3 After INHALATION of vapours

Not necessary. ---

4.1.4 After ORAL Intake

Not necessary.

#### 4.2 Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture

None.

### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### 5.4 Additional information

no data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Not necessary.

### 6.2 Environmental precautions

PBT: not applicable vPvB: not applicable

### 6.3 Methods and material for containment and cleaning up

Clean working area with water. Flush used water into drains.

#### 6.4 Reference to other sections

no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 931226
 VISOCOLOR ECO Iron 2, refill pack
 Page: 4/9

 Printing date: 15.05.2024
 Date of issue: 30.09.2022
 Version: 2.2.2.2

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 12 Water hazard class (DE): 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific end use(s)

Product for analytical use.

### **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

17 mL Fe-1

Chemical: acetate buffer solution CAS No.: -

5 g Fe-2

 Chemical:
 sodium chloride
 CAS No.: 7647-14-5

 Chemical:
 L(+)-ascorbic acid
 CAS No.: 50-81-7

#### 8.2 Exposure controls

Not necessary. Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities.

8.2.1 Respiratory protection

Not necessary.

8.2.2 Skin protection / Hand protection

Not necessary.

8.2.3 Eye / Face Protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

8.2.6 Thermal hazards no data available

14 41

### 8.3 Limitation and monitoring of environmental exposure

Information not necessary.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

17 mL Fe-1

a) State of aggregation: liquid b) Colour: slightly yellow c) Odor: acetic d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available 4-6 k) pH value: no data available

Kinematic viscosity:
 Solubility in water:



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germanv
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

no data available



# **Safety Data Sheet**

### according to Regulations REACh 1907/2006/EC

 REF: 931226
 VISOCOLOR ECO Iron 2, refill pack
 Page: 5/9

 Printing date: 15.05.2024
 Date of issue: 30.09.2022
 Version: 2.2.2.2

n) Dispersion coefficient (K  $_{\text{O/W}}$ ): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density  $_{(\text{air}=1)}$ : no data available r) Particle size: no data available

#### 5 g Fe-2

a) State of aggregation: powder (solid) slightly yellow b) Colour: c) Odor: odorless d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: no data available I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w ): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available r) Particle size: no data available

### 9.2 Other information

### 9.2.1 Information on physical hazard classes

no data available

### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

None

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

None.

#### 10.4 Conditions to avoid

Not known.

#### 10.5 Incompatible materials

Not known.

#### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No.: -

# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 931226
 VISOCOLOR ECO Iron 2, refill pack
 Page: 6/9

 Printing date: 15.05.2024
 Date of issue: 30.09.2022
 Version: 2.2.2.2

### **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

17 mL Fe-1

Chemical: acetate buffer solution

TSCA Inventory: all listed

Korea Exist.Chem.Inventory: listed

5 g Fe-2

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31387
LD50 orl rat: 3000 mg/kg

Chemical: L(+)-ascorbic acid CAS No.: 50-81-7

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-01947
LD50 orl rat: 11900 mg/kg

### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Following information is valid for pure substances.

17 mL Fe-1

Substance name: acetate buffer solution CAS-Nr.: -

Storage class (VCI): 12

5 g Fe-2

Substance name: sodium chloride CAS-Nr.: 7647-14-5

Water hazard class (DE): 1 Storage class (VCI): 12-13

Substance name: L(+)-ascorbic acid CAS-Nr.: 50-81-7

Water hazard class (DE): 1 WGK No.: 0737

Storage class (VCI): 13

#### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

### 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 931226
 VISOCOLOR ECO Iron 2, refill pack
 Page: 7/9

 Printing date: 15.05.2024
 Date of issue: 30.09.2022
 Version: 2.2.2.2

no data available

#### 12.7 Other adverse effects

no additional data available

### **SECTION 13: Disposal considerations**

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains. Normally it is possible to empty small amounts (diluted!) into drains.

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

#### 14.5 Environmental hazards

none

### 14.6 Special precautions for user

not necessary

#### 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 MN leaflet/instructions for use, also at www.mn-net.com If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

no data available

### **SECTION 16: Other information**

### 16.1 Changes compared to the last version

in preparation

#### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H in preparation

#### 16.2.2 List of relevant P phrases

#### 16.3 Recommended restriction on use

None

#### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EÚ, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EÚ, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 931226 VISOCOLOR ECO Iron 2, refill pack Page: 8/9
Printing date: 15.05.2024 Date of issue: 30.09.2022 Version: 2.2.2.2

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP) Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)

derm: dermal dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: European Community

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

EU: European Union fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: guinea pig ICAO: Internation

CAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

ISHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50%

LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe
MAK: maximum workplace concentration

Met: Metall mus: mouse Muta: mutager

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance



MACHEREY-NAGEL GmbH & Co. KG

DE Tel.: +49

Valencienner Str. 11

CH Tel.: +41

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 931226 VISOCOLOR ECO Iron 2, refill pack Page: 9/9 Printing date: 15.05.2024 Date of issue: 30.09.2022 Version: 2.2.2.2

pH value pH:

pimephales promelas: fish, fathead minnow PNEC: Predicted No Effected Concentration PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

polyvinyl chloride PVC: bird, quail quail: rat: rat rbt: rabbit

RD: rapidly degradable

repeated RE:

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number Reg.No.: rRegistration number

harmful to reproduction Repr:

Resp: respiratory

RIP: **REACH Implementations Projects** 

scu: sub cutan SDS: safety data sheet Sens: sensitisation

STEL: short term exposure limit STOT: Specific Target Organ Toxicity Substance of Very High Concern SVHC:

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

toxic

Tox: TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

#### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com