

TY525MX



CABLE TIE 50LB 7IN UV BLK 2-PC DIST



General Information

Extended Product Type	TY525MX
Product ID	7TAG009170R0002
EAN	5414363065654
Catalog Description	CABLE TIE 50LB 7IN UV BLK 2-PC DIST
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 185.67mm (7.31 Inches), Width of 4.67mm (0.184 Inches), Thickness of 1.09mm (0.043 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds)

Ordering

EAN	5414363065654
Customs Tariff Number	3926909990

Dimensions

Product Net Weight	.003 lb 1.361 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Depth / Length	10.5 in 267 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	6.7 in 170 mm
Package Level 2 Height	8 in 203 mm
Package Level 2 Depth / Length	9.3 in 236 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 1.77 in 3.5 to 45 mm

Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Standard
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb 222 N
Thickness	0.043 in 1.09 mm
UPC	786210805108

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY525MX
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY525MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

