

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/16/2021 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	:	Mixture
Trade name	:	CITRUS DEGREASER
Product code	:	CL2016
Type of product	:	Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture Function or use category

- : Professional use, Consumer use
- Cleaning/washing agents and additives
 - Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Crown Supplies Ltd UNIT 3 VULCAN ROAD NORTH NR6 6AQ Norwich - UK T 01603 403 333 - F 01603 403 362 sales@crownsupplies.co.uk - www.crownsupplies.co.uk

1.4. Emergency telephone number

Emergency number

· 01603 403 333 NORMAL OFFICE HOURS

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



: Danger

Signal word (CLP) Contains

LIMONENE; C9-11 PARETH-6; 2-aminoethanol; ethanolamine; bronopol (INN); 2-bromo-2nitropropane-1,3-diol

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	 H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing fume. P264 - Wash hands thoroughly after handling. P280 - Wear protective clothing, eye protection, face protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥ 5 – < 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
C9-11 PARETH-6	CAS-No.: 68439-46-3	≥ 0.5 – < 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 2119486455-28- XXXX	≥ 0.5 – < 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Aquatic Chronic 3, H412
trisodium nitrilotriacetate	CAS-No.: 5064-31-3 EC-No.: 225-768-6 EC Index-No.: 607-620-00-6	≥ 0.5 – < 5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351
LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7 REACH-no: 05-2114120625- 58	≥ 0.5 - < 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
pronopol (INN); 2-bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7 EC-No.: 200-143-0 EC Index-No.: 603-085-00-8	< 0.5	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. 		
First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	Irritation. May cause an allergic skin reaction.Serious damage to eyes.Burns.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equipment and emergency procedures					
6.1.1. For non-emergency personnel					
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.				
6.1.2. For emergency responders					
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".				
6.2. Environmental precautions					
Avoid release to the environment.					
6.3. Methods and material for containment and cleaning up					
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.				
6.4. Reference to other sections					

For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage	je		
7.1. Precautions for safe handling			
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store in a well-ventilated place. Keep cool.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
8.1.1. National occupational exposure an	d biological limit values		
propan-2-ol; isopropyl alcohol; isop	propanol (67-63-0)		
United Kingdom - Occupational Exposu	re Limits		
Local name	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [2]	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m³		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
2-aminoethanol; ethanolamine (141-43-5)			
United Kingdom - Occupational Exposure Limits			
Local name	2-Aminoethanol		
WEL TWA (OEL TWA) [1]	2.5 mg/m³		
WEL TWA (OEL TWA) [2]	1 ppm		
WEL STEL (OEL STEL)	7.6 mg/m³		
WEL STEL (OEL STEL) [ppm]	3 ppm		
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses, Safety goggles	Droplet	clear, Direct-ventilated, Plastic, With side shields	

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

S	Skin and body protection	
T	уре	Standard
s	Safety shoes	

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				

Other skin protection Materials for protective clothing		
Condition	Material	Standard
Good resistance:	Natural fibres	

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: 9 – 11
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.01 – 1.04
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Acute toxicity (dermal) Not classifiedNot classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) :	Not classified	
LIMONENE (5989-27-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)	
LD50 oral rat	4700 – 5800 mg/kg	
LD50 dermal rabbit	13000 mg/kg	
LC50 Inhalation - Rat [ppm]	10000 ppm/4h	
2-aminoethanol; ethanolamine (141-43-5)		
LD50 oral rat	1089 mg/kg	
LD50 dermal rabbit	2504 mg/kg	
	Causes skin irritation.	
Serious eye damage/irritation :	pH: 9 – 11 Causes serious eye damage. pH: 9 – 11	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
	Not classified	
• •	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol (52-51-7)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.
LIMONENE (5989-27-5)	
EC50 - Crustacea [1]	0.4 mg/l
LC50, Pimephales promelas	0.7 mg/l (96 Hours)
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)
LC50 - Fish [1]	9640 – 10400 mg/l
EC50 - Crustacea [1]	7550 – 13299 mg/l
IC50, algae	> 1000 (72 Hours)
2-aminoethanol; ethanolamine (141-43-5)	
LC50 - Fish [1]	349 mg/l Cyprinus carpio

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-aminoethanol; ethanolamine (141-43-5)		
LC50 - Fish [2]	170 mg/l Carassius auratus	
EC50 - Crustacea [1]	65 mg/l Daphina magna	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Bioaccumulative potential Does not bioaccumulate.		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number	'	'		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
I4.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			·	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards		·	
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	on available			

Overland transport

Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport Not regulated

Rail transport

. Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Allergenic fragrances > 0,01%:

LIMONENE

Detergent Regulation (648/2004/EC): Ingredient data sheet		
Component	CAS-No.	%
propan-2-ol; isopropyl alcohol; isopropanol	67-63-0	1 - 10%
TALL OIL ACID	61790-12-3	1 - 10%
C9-11 PARETH-6	68439-46-3	1 - 10%
WATER	7732-18-5	1 - 10%
PPG-2 METHYL ETHER	34590-94-8	1 - 10%
2-aminoethanol; ethanolamine	141-43-5	1 - 10%
trisodium nitrilotriacetate	5064-31-3	1 - 10%
LIMONENE	5989-27-5	1 - 10%
SODIUM XYLENESULFONATE	1300-72-7	0.1 - 1%
2-phenoxyethanol	122-99-6	0.1 - 1%
Methylparaben	99-76-3	<0.1%
bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	52-51-7	<0.1%

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 49	Skin disorders caused by aliphatic, alicyclic amines or ethanolamines

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

France	
Occupational diseases	
Code	Description
RG 49 BIS	Respiratory disorders caused by aliphatic amines, ethanolamines or isophoronediamine
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Germany	
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Borstvoeding	
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Vruchtbaarheid	
NIET-limitatieve lijst van voor de voortplanting	: None of the components are listed
giftige stoffen – Ontwikkeling	
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product
	The requirements from the Danish Working Environment Authorities regarding work with
	carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements			
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1		
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Carc. 2	Carcinogenicity, Category 2		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements			
Skin Sens. 1	Skin sensitisation, Category 1		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		
H336	May cause drowsiness or dizziness.		
H351	Suspected of causing cancer.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		

Name	Product identifier	Specific concentration limits
2-aminoethanol; ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 2119486455-28- XXXX	(5 ≤C ≤ 100) STOT SE 3, H335
trisodium nitrilotriacetate	CAS-No.: 5064-31-3 EC-No.: 225-768-6 EC Index-No.: 607-620-00-6	(5 ≤C ≤ 100) Carc. 2, H351

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.