

Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 9

SDS No.: 527093 V001.3

Revision: 27.06.2017

printing date: 28.09.2019

Replaces version from: 25.11.2014

Unibond NMN Original

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Unibond NMN Original

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Water based adhesive

1.3. Details of the supplier of the safety data sheet

Henkel Ltd Adhesives Wood Lane End

HP2 4RQ Hemel Hempstead

Great Britain

Phone: +44 (1442) 278000 Fax-no.: +44 (1442) 278071

ua-productsafety.uk@henkel.com

1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statement: P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

MSDS-No.: 527093 Unibond NMN Original Page 2 of 9

V001.3

2.3. Other hazards

None if used properly.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

1-Component assembly adhesive

Base substances of preparation:

Styrene-acrylate copolymer dispersion

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No.	EC Number REACH-Reg No.	content	Classification
1,2-Benzisothiazol-3(2H)-one 2634-33-5	220-120-9	50- < 500 PPM	Aquatic Acute 1 H400
			Aquatic Chronic 2 H411
			Acute Tox. 4; Oral H302
			Skin Irrit. 2 H315
			Skin Sens. 1 H317
			Eye Dam. 1 H318
			-

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

MSDS-No.: 527093 Unibond NMN Original Page 3 of 9

V001.3

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Danger of slipping on spilled product.

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container.

Store in a cool, dry place.

Temperatures between + 5 °C and + 30 °C

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Water based adhesive

MSDS-No.: 527093 Unibond NMN Original Page 4 of 9

V001.3

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Great Britain

Ingredient [Regulated substance]	ppm	mg/m³	Value type	Short term exposure limit category / Remarks	Regulatory list
Calcium carbonate 471-34-1 [CALCIUM CARBONATE, INHALABLE DUST]		10	Time Weighted Average (TWA):		EH40 WEL
Calcium carbonate 471-34-1 [CALCIUM CARBONATE, RESPIRABLE DUST]		4	Time Weighted Average (TWA):		EH40 WEL
Calcium carbonate 171-34-1 LIMESTONE, RESPIRABLE MARBLE, RESPIRABLE]		4	Time Weighted Average (TWA):		EH40 WEL
Calcium carbonate 471-34-1 [LIMESTONE, TOTAL INHALABLE MARBLE, TOTAL INHALABLE]		10	Time Weighted Average (TWA):		EH40 WEL

Occupational Exposure Limits

Valid for

Ireland

Ingredient [Regulated substance]	ppm	mg/m³	Value type	Short term exposure limit category / Remarks	Regulatory list
Calcium carbonate 471-34-1 [CALCIUM CARBONATE, RESPIRABLE DUST]		4	Time Weighted Average (TWA):		IR_OEL
Calcium carbonate 471-34-1 [CALCIUM CARBONATE, TOTAL INHALABLE DUST]		10	Time Weighted Average (TWA):		IR_OEL

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Ensure adequate ventilation.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:

Goggles which can be tightly sealed.

MSDS-No.: 527093 Unibond NMN Original Page 5 of 9

V001.3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance paste

high viscosity white

Odor slightly

Odour threshold No data available / Not applicable

pH 8,0 - 10,0

(23 °C (73 °F))

Melting point No data available / Not applicable No data available / Not applicable Solidification temperature No data available / Not applicable Initial boiling point Flash point No data available / Not applicable No data available / Not applicable Evaporation rate Flammability No data available / Not applicable Explosive limits No data available / Not applicable No data available / Not applicable Vapour pressure No data available / Not applicable Relative vapour density:

Density 1,25 - 1,35 g/cm3

(20 °C (68 °F))

Bulk density

No data available / Not applicable
Solubility

No data available / Not applicable

Solubility (qualitative) Miscible

(23 °C (73.4 °F); Solvent: Water)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

No data available / Not applicable
No data available / Not applicable
Viscosity

3.200.000 - 3.700.000 mPa.s

(Brookfield; 20 °C (68 °F))

Viscosity (kinematic)

No data available / Not applicable
Explosive properties

No data available / Not applicable
Oxidising properties

No data available / Not applicable

Solid content 62,0 - 66,0 %

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with acids: production of heat and carbon dioxide.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None known.

MSDS-No.: 527093 Unibond NMN Original

V001.3

SECTION 11: Toxicological information

Page 6 of 9

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

Acute oral toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	LD50	1.193 mg/kg	oral		rat	not specified
one						
2634-33-5						

Acute dermal toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	LD50	> 5.000 mg/kg	dermal		rat	EPA OPP 81-2 (Acute Dermal
one						Toxicity)
2634-33-5						

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	moderately irritating	4 h	rabbit	EPA OPP 81-5 (Acute Dermal
one				Irritation)
2634-33-5				

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	highly irritating	48 h	rabbit	EPA OPP 81-4 (Acute Eye
one				Irritation)
2634-33-5				

Respiratory or skin sensitization:

Hazardous components	Result	Test type	Species	Method
CAS-No.				
1,2-Benzisothiazol-3(2H)-	sensitising	Mouse	guinea pig	Magnusson and Kligman
one		local		Method
2634-33-5		lymphnod		
		e assay		
		(LLNA)		
1,2-Benzisothiazol-3(2H)-	sensitising	Mouse	mouse	OECD Guideline 429 (Skin
one	_	local		Sensitisation: Local Lymph
2634-33-5		lymphnod		Node Assay)
		e assay		
		(LLNA)		

MSDS-No.: 527093 Unibond NMN Original Page 7 of 9

V001.3

Germ cell mutagenicity:

Hazardous components	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
1,2-Benzisothiazol-3(2H)-	negative	bacterial reverse	with and without		OECD Guideline 471
one		mutation assay (e.g			(Bacterial Reverse Mutation
2634-33-5		Ames test)			Assay)
	negative	mammalian cell	with and without		OECD Guideline 476 (In vitro
		gene mutation assay			Mammalian Cell Gene
					Mutation Test)
1,2-Benzisothiazol-3(2H)-	negative	oral: gavage		mouse	OECD Guideline 474
one					(Mammalian Erythrocyte
2634-33-5					Micronucleus Test)
	negative	oral: unspecified		rat	OECD Guideline 486
		_			(Unscheduled DNA Synthesis
					(UDS) Test with Mammalian
					Liver Cells in vivo)

Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,2-Benzisothiazol-3(2H)-	NOAEL=10 mg/kg	oral: gavage	90 daysdaily	rat	OECD Guideline 408
one					(Repeated Dose 90-Day Oral
2634-33-5					Toxicity in Rodents)

SECTION 12: Ecological information

General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains, soil or bodies of water.

12.1. Toxicity

thod
Guideline
sh, Acute
ty Test)
Guideline
, Juvenile
h Test)
Guideline
phnia sp.
cute
ilisation
est)
Guideline
a, Growth
on Test)
Guideline
a, Growth
on Test) Guideline
ctivated Respiration
on Test)
D 211
a magna,
ction Test)
Stepheniliss States of States of Da

12.2. Persistence and degradability

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

MSDS-No.: 527093 Unibond NMN Original Page 8 of 9

V001.3

I	1,2-Benzisothiazol-3(2H)-one	readily biodegradable	aerobic	> 60 %	OECD 301 A - F	
	2634-33-5	,				

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
1,2-Benzisothiazol-3(2H)-one		6,62		not specified		OECD Guideline 305
2634-33-5						(Bioconcentration: Flow-
						through Fish Test)
1,2-Benzisothiazol-3(2H)-one	1,3					EU Method A.8 (Partition
2634-33-5						Coefficient)

12.5. Results of PBT and vPvB assessment

Hazardous components	PBT/vPvB		
CAS-No.			
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very		
2634-33-5	Bioaccumulative (vPvB) criteria.		

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code 080410

SECTION 14: Transport information

14.1. UN number

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

MSDS-No.: 527093 Unibond NMN Original Page 9 of 9

V001.3

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content 0,00 %

(VOCV 814.018 VOC regulation

CH)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.