



VOLTAGE RELAY, N-TYPE AC 230/400V 2CO
0.9/1.3+0.7/1.1

Model		
product brand name		SENTRON
General technical data		
Measurable voltage / with AC / initial value	V	310.5
Voltage		
Adjustable voltage range / Full-scale value	V	161
Measurable voltage / with AC / Full-scale value	V	310.5
Electricity		
Adjustable voltage range / initial value	V	161
Control current		
Control supply voltage		
• with AC / at 50 Hz / Rated value / minimum	V	230
• with AC / at 50 Hz / Rated value / maximum	V	230
• with AC / at 60 Hz / Rated value / minimum	V	230
• with AC / at 60 Hz / Rated value / maximum	V	230
Auxiliary circuit		
Number of CO contacts / for auxiliary contacts		2
Number of NC contacts / for auxiliary contacts		0
Number of NO contacts / for auxiliary contacts		0
Product function		
Product function		
• Voltage window recognition 1 phase		No

- Voltage window recognition 3 phase
- Voltage window recognition DC
- Overvoltage detection 1 phase
- Overvoltage detection 3 phase
- Overvoltage detection DC
- undervoltage detection 1 phase
- undervoltage detection 3 phases
- undervoltage detection DC

	No
	No
	No
	No
	No
	No
	Yes
	No

Connections

Type of electrical connection	screw-type terminals
• Plug-in socket	No

Mechanical Design

Height	mm	90
Width	mm	36
Depth	mm	64

Certificates

General Product Approval	Declaration of Conformity	Test Certificates	other
--------------------------	---------------------------	-------------------	-------



[Type Test Certificates/Test Report](#)

[Environmental Confirmations](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TT3408>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT3408/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3408

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

11.03.2015