



Auxiliary switch, Floor installation 1 OE + 1 S left and / or right mountable, accessory for Load disconnecter 3LD3

Model	
product brand name	SETRON
product designation	auxiliary switch
design of the product	accessories for 3LD3 switch disconnectors
type of connectable conductor cross-sections for auxiliary contacts	<ul style="list-style-type: none"> • solid 2x (0.752,5 mm²), 1x 4 mm² • finely stranded with core end processing 2x (0.751,5mm²), 1x 2.5mm² • stranded 2x (0.752.5mm²), 1x 4mm²
General Product Approval	other



[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)

Environment

[Environmental Confirmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-6C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-6C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-6C

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

10/7/2021 

