

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

MAGIC DAZZLE

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: **MAGIC DAZZLE** Substance type: **CLP Mixture**

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : CLEANER

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION Ecolab Ltd.

LOCAL COMPANY IDENTIFICATION

Ecolab Ltd. PO Box 11; Winnington Avenue

PO Box 11; Winnington Avenue

Northwich, Cheshire,, CW8 4DX, United Kingdom Northwich, Cheshire,, CW8 4DX, United Kingdom TEL: + 44 (0)1606 74488

TEL: + 44 (0)1606 74488

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number Trans-European

+441618841235

+32-(0)3-575-5555 Trans-European Address European

Economic Area HQ

30.07.2019 Date of Compilation/Revision:

Version Number:

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Special labelling of certain

: Safety data sheet available on request.

mixtures

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
1-Butoxy-2-Propanol	5131-66-8 225-878-4 01-2119475527-28	Skin irritation Category 2; H315 Eye irritation Category 2; H319	3 - < 5
Substances with a workplace	e exposure limit :		
1-Methoxy-2-Propanol	107-98-2 203-539-1 01-2119457435-35	Flammable liquids Category 3; H226 Specific target organ toxicity - single exposure Category 3; H336	2.5 - < 5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled : Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and plenty of water.

Get medical attention if symptoms occur.

In case of eye contact : Rinse with plenty of water.

Get medical attention if symptoms occur.

If swallowed : Rinse mouth.

Get medical attention if symptoms occur.

Protection of first-aiders : In event of emergency assess the danger before taking action.

Do not put yourself at risk of injury. If in doubt, contact

emergency responders. Use personal protective equipment as

required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : No specific measures identified.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

5.3 Advice for firefighters

for firefighters

Special protective equipment: Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Refer to protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.

> Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Flush away traces with water.

For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Wash hands after

handling.

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep out of reach of children. Keep container tightly closed.

Store in suitable labelled containers.

Suitable material : Keep in properly labelled containers.

7.3 Specific end uses

Specific use(s) : CLEANER

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.		Value type (Form	Control parameters	Basis
			of exposure)		
1-Methoxy-2-	107-98	-2	TWA	100 ppm	UKCOSSTD
Propanol				375 mg/m3	
Further information	Sk	Can b	e absorbed through sk	in. The assigned substances are	those for which
		there a	are concerns that derm	nal absorption will lead to system	nic toxicity.
			STEL	150 ppm	UKCOSSTD
				560 mg/m3	
Further information	Sk	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

DNEL

1-Methoxy-2-Propanol	:	End Use: Workers Exposure routes: Inhalation Potential health effects: short-term - local Value: 553.5 mg/m3
		End Use: Workers Exposure routes: Dermal Potential health effects: long term - systemic
		End Use: Workers Exposure routes: Inhalation Potential health effects: long term - systemic Value: 369 mg/m3

PNEC

PINEC	
1-Methoxy-2-Propanol	: Fresh water
	Value: 10 mg/l
	Marine water
	Value: 1 mg/l
	value. Tillg/i
	Intermittent release
	Value: 100 mg/l
	STP
	Value: 100 mg/l
	Taluar 100 mg/.
	Fresh water sediment
	Value: 52.3 mg/kg
	Marine sediment
	Value: 5.2 mg/kg
	Soil
	Value: 5.49 mg/kg

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

Eye/face protection (EN

166)

: Safety glasses

Hand protection (EN 374) : Recommended preventive skin protection

Gloves Nitrile rubber butyl-rubber

Breakthrough time: 1 – 4 hours

Minimum thickness for butyl-rubber 0.3 mm for nitrile rubber

0.2 mm or equivalent (please refer to the gloves

manufacturer/distributor for advise).

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection

(EN 14605)

: Wear suitable protective clothing.

Respiratory protection (EN

143, 14387)

: When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or

equivalent, with filter type:A-P

Environmental exposure controls

General advice : Consider the provision of containment around storage

vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : blue

Odour : characteristic Flash point : > 100 °C

pH : not determined
Odour Threshold : no data available
Melting point/freezing point : no data available
Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Relative vapour density : no data available Relative density : 0.990 - 1.010

Solubility(ies)

Water solubility : soluble in cold water, soluble in hot water

Solubility in other solvents : no data available Partition coefficient: n-: no data available

octanol/water

Auto-ignition temperature : no data available Thermal decomposition : no data available Viscosity, dynamic : no data available Viscosity, kinematic : no data available Explosive properties : no data available : no data available

9.2 Other information

no data available

Oxidizing properties

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : None known

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : 1-Butoxy-2-Propanol

LD50 rat: 2,500 mg/kg

1-Methoxy-2-Propanol LD50 rat: > 5,000 mg/kg LD50 rat: 4,016 mg/kg

Components

Acute inhalation toxicity : 1-Methoxy-2-Propanol

LC50 rat: 27.3 mg/l Exposure time: 4 h Test atmosphere: vapour

Components

Acute dermal toxicity : 1-Butoxy-2-Propanol

LD50 rat: 2,193 mg/kg 1-Methoxy-2-Propanol

LD50 rabbit: > 13,000 mg/kgLD50 rat: > 2000

Potential Health Effects

Eyes : Health injuries are not known or expected under normal

use.

Skin : Health injuries are not known or expected under normal

use.

Ingestion : Health injuries are not known or expected under normal

use.

Inhalation : Health injuries are not known or expected under normal

use.

Chronic Exposure : Health injuries are not known or expected under normal

use

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product

Environmental Effects : This product has no known ecotoxicological effects.

Toxicity to fish : no data available

Toxicity to daphnia and other

aquatic invertebrates

: no data available

Toxicity to algae : no data available

Components

Toxicity to fish : 1-Methoxy-2-Propanol

96 h LC50 Fish: > 1,000 mg/l

96 h LC50 Rainbow Trout: >= 1,000 mg/l

Method: OECD 203

Components

Toxicity to daphnia and other

aquatic invertebrates

: 1-Butoxy-2-Propanol 48 h EC50: > 1,000 mg/l

1-Methoxy-2-Propanol

48 h LC50 Daphnia magna: 21,100 - 25,900 mg/l

Method: Other guidelines

Components

Toxicity to algae : 1-Methoxy-2-Propanol

7 d EC50 Green Algae (Pseudokirchneriella

subcapitata, previously Selenastrum capricornutum): >

1,000 mg/l

Method: Other guidelines

Components

Toxicity to bacteria : 1-Methoxy-2-Propanol

3 h IC50 Sewage Microorganisms: > 1,000 mg/l

Method: OECD 209

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability : 1-Butoxy-2-Propanol

Result: Readily biodegradable.

1-Methoxy-2-Propanol

Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not re-use empty containers.

Guidance for Waste Code selection

: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local

regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number: Not applicable.

14.2 UN proper shipping name: PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

14.3 Transport hazard class(es): Not applicable. 14.4 Packing group: Not applicable.

14.5 Environmental hazards: Nο

Not applicable. 14.6 Special precautions for user:

Air transport (IATA)

14.1 UN number: Not applicable.

PRODUCT IS NOT REGULATED DURING 14.2 UN proper shipping name:

TRANSPORTATION

14.3 Transport hazard class(es): Not applicable. 14.4 Packing group: Not applicable.

14.5 Environmental hazards: No

14.6 Special precautions for user: Not applicable.

Sea transport (IMDG/IMO)

14.1 UN number: Not applicable.

14.2 UN proper shipping name: PRODUCT IS NOT REGULATED DURING

TRANSPORTATION

14.3 Transport hazard class(es): Not applicable. 14.4 Packing group: Not applicable.

14.5 Environmental hazards:

14.6 Special precautions for user: Not applicable. 14.7 Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC

Code:

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

INTERNATIONAL CHEMICAL CONTROL LAWS

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Not a hazardous substance or mixture.	Calculation method

Full text of H-Statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number – European Community number: ECx – Concentration associated with x% response: ELx – Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

: IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERIcards,

Non European official regulatory data and other data sources.

Prepared By : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.